









Hahnemühle FineArt GmbH · Hahnestr. 5 · D-37586 Dassel Phone: +49 5561 791 500 · Fax: +49 5561 791 351 www.hahnemuehle.com







Certificate

We hereby certify that the

Hahnemühle FineArt GmbH Archival Papers and Boards

are produced in compliance with DIN 6738, ISO 9706, ISO 16245, ANSI Z 39.48-1992 as well as the Standard-PAT and Color-PAT.

Furthermore the Hahnemühle papers and boards meet the following quality criteria and more:

acid free with a pH value between 7.5 and 9.5 due to a neutral paste application, buffered against air pollutants with a calcium carbonate (CaCO $_3$) content of at least 4%, free of wood fibres,

made from bleached (tcf/ecf) pulp and/or linters, extremely lightfast,

complies with the highest class of durability and lasts for hundreds of years, coloured papers and boards do not bleed due to use of premium colour-pigments.

Hahnemühle FineArt GmbH - certified in compliance with ISO 9001

resident /

an Wölfle, CEO

Director Quality Management / R&D

. D. 30

i.V. Dr. Barbara Born

Technical Directo

ppa. Stefan Müller, DIR

Catalogue 2023




We produce our papers with passion and focus on quality instead of quantity, we are a manufactory rather than a factory. The best raw materials, craftsmanship skills, a lot of handicraft and a co-operative relationship with our customers make for the excellent and internationally acclaimed quality of our products. For centuries now, papers characterised by the 'Rooster' have been used by artists or as reliable media for technical applications. Our innovation power resulted in the invention of the 'FineArt Inkjet Papers'. Hahnemühle is the pioneer in this area and remains the world-leading provider of fine art inkjet papers.


Painters, graphic artists and designers, illustrators, printers, photographers, advertising experts,

The result of our tradition and quality conscious work delights Hahnemühle fans worldwide.

archivists, bookbinders, art students, scientists, engineers and lab assistants – they all use papers and cardboards by Hahnemühle. For each of them, paper is a natural working appliance that has to meet high standards for different reasons. With Hahnemühle papers, our customers emphasize the features when it comes to art and fine art printing, as well as safe and reliable results in the technical area.







Paper manufacturing at Hahnemühle

ur papers are extremely versatile and they have to be as their properties have to meet a large number of requirements. Here, you will find noteworthy information on manufacturing techniques, quality characteristics, quality management and testing procedures. More information can also be found on our homepage www. hahnemuehle.com.

Papers with watermark and genuine deckle edges are produced on the mould-made paper machine.

Production on the cylinder mould paper machine

Traditional paper production on a cylinder mould paper machine starts in the vat housing a mould, that is a stainless steel box in which a cylinder mould is placed. Hahnemühle FineArt uses moulds of different structures to make velin or ribbed paper, with or without watermark.

A highly diluted mixture of pulp and water is fed into the vat with combined uniflow and contraflow forming a fibrous web on the cylinder mould.

The sheet is transferred to the wet end of the machine with a suction roll located at the highest point of the cylinder mould.

Not only does the cylinder mould produce genuine watermarks, the paper sheet can also be divided into smaller sheets. For this purpose, special bands and metal dividers are attached to the surface of the cylinder mould with copper wire to mark the size of individual sheets. Thus the mould-made paper produced on a machine can have four ragged, or deckled, edges characteristic of hand-made paper. Some paper fibres gather on the attached deckle frames. As the speed of the machine can be controlled, after the press section, the still wet paper can be torn along the marked, weaker lines. Only a sheet edge thus obtained can be treated as a deckle edge characteristic of mould-made paper. The cylinder mould paper machine is not only used to make paper sheets, but also to produce paper rolls

Natural felts form the unique surface texture of the papers.

The double wet press section consists of a pair of [1mm] hydraulically loaded rolls connected with a parallel drive and a common top and bottom felt. To improve water extraction, the paper web is then gently heated with an infra-red dryer and introduced to the dryer section which consists of a series of

steam-heated cylinders. Thanks to special felt material used in the first dryer group, paper does not come into direct contact with the cylinder surface and thus maintains good surface uniformity on both sides.

Production on the fourdrinier machine

Production of paper on a continuous-wire Fourdrinier machine starts with the discharge of a highly diluted mixture of pulp and water onto the machine. The papermaking stock is evenly distributed on the flat, plastic wire which continuously rotates around a series of supporting rolls and guiding rails. In addition to their support function, these rolls and guiding rails are also used to drain the water from the mixture of pulp and water.

Two-thirds of the way along the the wire section, the slurry is so drained of water and compact that the fibres will no longer shift. Further water extraction is only possible with flat suction boxes which build up a vacuum. A so-called dandy roll is applied and lightly pressed down to make the paper surface more

equal. It is also used, for example, to apply the ribbed structure typical of Hahnemühle FineArt paper.

The wire section is directly followed by the press section, which is the last element of the wet part of the paper machine. Two hydraulically loaded pairs of rolls and an optionally utilized third press are used to press out the remaining water from the endless paper web. The continuously rotating felt is used to transfer the web and remove water. Felts, some of which are still made of wool and others of a mixture of wool and synthetic fibres, have an exceptional capability to make different, characteristic marks.



The moisture remaining in the paper web is removed by contact drying with steamheated metal drying cylinders

The dandy roll gives

the paper a ribbed

To enhance this process the felt is pressed against the cylinder surface and hot air is blown in through air nozzles. The paper web is dried carefully at a temperature gradually increasing from about 70° C at the first cylinder to about 120° C at the end of the dryer section. In order to quickly expand the paper, the temperature is abruptly lowered at the cooling cylinders located immediately after the dryer section. The web can optionally be passed through a calender stock. A re-moisturizer, in combination with a continuously operating measuring system, permits the paper moisture to be monitored and improved before it is rolled.

V

Contents

Watercolour Book 100% Cotton, 250 gsm	Page 2-3
Natural Line	Page 4-9
Agave Watercolour 290 gsm, 70% agave fibre, 30% cotton rag	6
Hemp Sketch 80 gsm, 60% hemp fibre, 40% cotton rag	7
Bamboo-Mixed Media 265 gsm, 90% bamboo fibre, 10% cotton rag	8
Bamboo Sketch 105 gsm, 90% bamboo fibre, 10% cotton rag	9
The Collection	Page 10-15
Watercolour 300 gsm, 100% pure cotton rag, surface sized, mould-made	12
Watercolour 640 gsm, 100% pure cotton rag, surface sized, mould-made	13
Ingres Pastel 100, 150 gsm, mould-made	14
Sketch 140 gsm, 100% pure cotton rag	15
Watercolour Papers	Page 16-49
Watercolour Lapers Watercolour Selection (Aquarell Selection)	18 18
Turner 300 gsm, 100% cotton rag	19
Hahnemühle 200 gsm	20
Hahnemühle 300 gsm	23
Harmony Watercolour 300 gsm, surface sized	24
Expression Watercolour 300 gsm, surface sized, 100% cotton rag	25
Allegretto 150 gsm	28
D'Aqua 220 gsm	29
Burgund 250 gsm	31
Watercolour Postcard Pad 250 gsm	31
Torchon 275 gsm	32
Veneto 325 gsm, front rough, back cold pressed	33
Britannia 300 gsm	35
Cornwall 450 gsm	36
Andalucía 500 gsm, front rough, back cold pressed	38
Toned Watercolour Paper 200 gsm	40
Toned Watercolour Book 200 gsm	41
Watercolour Book 200 gsm, your travel companion - with new formats!	42
The ZigZag Book	44
Carnet de Voyage & Carnet Aquarelle 400 gsm	45
Watercolour Postcards in Metal Box 230 gsm - new edition 2023/2024	46
Sumi-e 80 gsm, for the Asian painting technique	47
Anniversary Edition-Aquarell 425 gsm	48
Universal Pad Mixed Media 310 gsm	49

Sketch Papers and Sketch Books	Page 48-75
Creativ 100 gsm	52
Tradition 100 gsm	53
Dessin 150 gsm	54
Quattro – square size sketch pad 170 gsm	55
Nostalgie 190 gsm	56
Postcard Pad Sketch 190 gsm	56
Hand Lettering 170 gsm	57
Sketch Pad "blue" 120 and 190 gsm	58, 59
Pen Pad 250 gsm	60
Velvet 185 gsm	61
Stella Drawing Papers 200 and 250 gsm	61, 107
The Cappuccino Pad 120 gsm	65
The Grey Pad 120 gsm	65
The Cappuccino Book 120 gsm	66
The Grey Book 120 gsm	67
Nostalgie Sketch Book 190 gsm	68
Black Book 250 gsm	69
Sketch Books Deko 140 gsm	70
Sketch Booklet 140 gsm	71
Sketch & Note 125 gsm, note book	72
Sketch Books 120 gsm	73
Kraft Paper Sketch Book 120 gsm	74
Kraft Paper Sketch Booklet 120 gsm	74
Travel Journals & Travel Booklets 140 gsm	75
Sketch Books D&S 140 gsm	76
Pastel Papers	Page 78-83
Sketch/Pastel 130 gsm	80
Velour 260 gsm	81
LanaColours 160 gsm	82-83
Oil and Acrylic Painting Paper	Page 86-91
Oil and Acrylic Painting Paper 230 gsm	86,87
Acrylic Painting Paper 330, 360 and 450 gsm	88-90
Palette Pad 60 gsm	91
0 11 0 0 5 0	

Mounting Boards, Printmaking Papers and Graphic Design Printmaking Papers 150, 230, 250, 300 and 350 gsm	Page 92-101
Hahnemühle 1584 300 gsm	96
Mounting Boards 280, 300, 380 and 400 gsm	98
Bristol Pad and Boards 250, 310, 625 and 920 gsm	99
Manga 80 gsm	100
Layout Pad 75 gsm	101
Technical Papers	Page 102-109
Transparent Drawing Papers in rolls 24/25, 40/45, 90/95 and 110/115 gsm	104
Transparent Drawing Papers 90/95 and 110/115 gsm	105
Tracing Paper Pad 60/65, 80/85, 90/95 and 110/115 gsm	106
Stella Drawing Papers 200 and 250 gsm	61, 107
Graph Paper (Millimetre Paper) 80/85 gsm	108
Static Pad 60 gsm	109
Stationery FineArt	Page 110-119
1584 by Hahnemühle	113
DiaryFlex 100 gsm, the individual notebook	114
Sketch Diary 120 gsm, sketch- and notebook	115
FineNotes Writing Instruments & Notebooks	116-119
Digital FineArt Papers	120-123
Displays, Samples and Cupboards	124-129
Merchandising Products	130-133
Persons to contact	134-137
Terms of Delivery and Sale	138-139
Index	140-145

 $\bigvee |||$





Herewith we declare that all papers and canvases of Hahnemühle FineArt GmbH do not contain raw materials from animal sources.

The used pulp fibres come from sustainable sources and have been chemically mechanically processed.

The fibre content in the paper is more than 10% of the total weight.

Furthermore all papers, canvases and leather albums of Hahnemühle FineArt GmbH do not exceed the limits of the following substances (Guideline 2015/863/EU ROHS):

- Lead (0.1 %)
- Hexavalent Chromium (0.1%)
- Mercury (0.1 %)
- Cadmium (0.01%)
- PBB (Polybrominated Biphenyls) (0.1 %)
- PBDE (Polybrominated Diphenyl Ethers) (0.1 %)
- DEHP (Di (2-Ethylhexyl) Phthalate) (0,1%)
- BBP (Butyl Benzyl Phthalate) (0,1%)
- DBP (Dibutyl Phthalate) (0,1%)
- DIBP (Diisobutyl Phthalate) (0,1%)

The use of PCBs (polychlorinated biphenyls) is prohibited.

Quality Management

Dassel, 02.12.2019

i.V. B. 3

QS/Bo·Hahnemühle FineArt GmbH, Hahnestraße 5, D-37586 Dassel·Rev.11



WATERCOLOUR BOOK 100% COTTON

Hahnemühle Watercolour Book made of 100% cotton rag - masterful craftsmanship meets the finest cotton fibres

The Hahnemühle Watercolour Book made of 100% cotton fibres is a must-have for all watercolour artists. The pure cotton fibres give the paper a natural white tone, an incomparable texture and high resistance. Colours flow superbly on the natural white paper, while brushes slide gently over the surface and inspire the artist. Premium hardback book containing 30 sheet of 250 gsm paper with a homogeneous, fine-grained surface structure on the front and back, so artists have 60 pages available for creative design. Suitable for all watercolour techniques, especially the wet-on-wet technique. Masking pens and masking tapes can be removed without leaving any residue. Even the use of an eraser is possible thanks to surface sizing. The pitch-black, sturdy cover with a black bookmark gives the book the elegance and stability that it needs as an indispensable companion. A rubber band closes the book tightly.

Watercolour Books 100% Cotton are available in landscape and portrait format in A6, A5, A4, 14 x 14 cm and 19.5 x 19.5 cm. Like all Hahnemühle papers, they are age-resistant, acid-free and vegan.



Watercolour Book 100% Cotton (250 gsm, cold pressed, surface sized, 30 sheets/60 pages)

Ref. No.	Size
10 625 350	A6 portrait size
10 625 351	A6 landscape size
10 625 352	A5 portrait size
10 625 353	A5 landscape size
10 625 354	A4 portrait size
10 625 355	A4 landscape size
10 625 356	14 x 14 cm
10 625 357	19,5 x 19,5 cm

Sustainability

Clean water, natural fibres, first-rate expertise in the art of paper production and absolute commitment to quality have formed the foundation of our success for over 435 years. In our business, we feel we have a certain duty towards the environment. For many years, we have been supporting both regional and international environmental projects as part of our 'Green Rooster' initiative, including reforestation, animal protection and environmental education programmes. These projects are very important to us and we're delighted to be able to use a share of the profits from our Natural Line to contribute towards environmental and climate protection.

Sustainability is a living tradition at Hahnemühle and the reason for the paper mill's settlement in 1584 still holds true today: Hahnemühle produces paper in a landscape conservation area with pure spring water. Accordingly, paper production must be environmentally friendly, sustainable and is strictly controlled.



The water we use to produce our high-quality FineArt papers comes straight from the source and is set apart by its particularly high level of purity, meaning it doesn't need to be chemically treated at all. Even at the end of the production cycle, the water is fed into the nearby river Ilme - free from chemical cleaning agents, biocides or preservatives.

Protect what Matters

Our fibres are sourced exclusively from primary fibres. One key factor here is the lignin-free cellulose we use, sourced from deciduous and coniferous trees that grow in sustainably managed forests and are FSC- or PEFC-certified. The types of linters also play an essential role. Linters are fine fibres framing the seed of the cotton plant, which occur as a by-product of the textile and oil industries. Hahnemühle has been producing high quality artists' papers from innovative, rapidly renewable fibres since 2008. The Hahnemühle Bamboo paper was and is the pioneer. In addition, there are now papers made from hemp and agave fibres as well as sugar cane fibres which are argicultural by-products.







textile & oil industry



a by-product of the qlues or other animal substrates



Recycling of production waste & use of recycled 100% renewapackaging materials ble energies





Environmental Management

We use electricity and natural gas as our energy sources. For many years now, all the electricity we need for our paper production has been generated exclusively from renewable sources, such as wind, water and solar energy. This enables us to sustainably reduce our CO2 emissions. We heat our site using natural gas. Due to our waste heat recovery system, the emissions from our furnace are

Hahnemühle is certified for all its sustainability measures and its environmentally sensitive actions according to the ISO 14001 guideline for environmental management on a regular basis. This is part of Hahnemühle's journey to becoming the first climate-neutral paper mill by 2030.

considerably below the legal limits, by more than 40%.

We are proud of what we have achieved so far and are constantly working towards putting further measures in place and finding more environmentally friendly and sustainable ways to run our business. Our proximity to the natural world provides a daily reminder of what we need to protect. For us, this is both a responsibility and an incentive.



Protect what Matters

Agave Watercolour

290 gsm · 70 % Agave fibre, 30 % cotton rag · cold pressed

Agave Watercolour is a natural white watercolour paper. It is characterised by its cold pressed and very homogeneous surface texture. It is suitable for all kinds of watercolour techniques, especially for glazing. The special surface of the 290 gsm paper allows brushes to slide over the surface easily and allows for brilliant colour gradients.

Washouts and corrections are simple possibilities. Agave Watercolour is acid-free, non-aging and vegan. By using sisal, a fast-growing and resourcesaving raw material, Agave Watercolour is the ideal painting surface for environmentally conscious artists. All Agave Watercolour blocks are glued on 4 sides. Individual sheets can be easily removed with Hahnemühle's bamboo folder.



Blocks (Content 12 sheets)

(
Ref. No.	Size in cm
10 625 400	8 x 10,5 (Mini Pad)
10 625 401	24 x 32
10 625 402	30 x 40
10 625 403	36 x 48
10 625 410	A4
10 625 411	A3

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm	
10 627 180	50 x 65	







Hemp Sketch

80 gsm · 60 % Hemp fibre, 40% cotton rag

Hemp Sketch is a natural white sketch paper with a fine grain, guaranteeing an excellent colour abrasion. Due to the use of hemp fibre, the 80 gsm Hemp Sketch paper impresses with an excellent paper resistance. It is suitable for all dry techniques such as graphite, red chalk, coloured pencil and charcoal, and is characterised by an excellent erasability. Hemp Sketch is a first-class drawing paper that is

unique due to its remarkable properties and its sustainability. By using fast-growing hemp fibre, slow-growing resources are conserved. All Hemp Sketch sketch pads contain 80 sheets and are glued at the top. The paper is acid-free, age-resistant and vegan.



Pads (Content 80 sheets)

Ref. No.	Size
10 625 450	A5
10 625 451	A4
10 625 452	A3









Bamboo Mixed Media

265 gsm · 90 % Bamboo fibre, 10 % cotton rag · cold pressed

Hahnemühle Bamboo 265 gsm is the first paper quality in the Hahnemühle Traditional FineArt Collection made of bamboo fibres. The natural white paper which is extremely age resistant has a unique surface suitable for different painting & drawing techniques such as watercolour, acrylic, pastel and for sketching and drawing with charcoal and red ochre. This warm toned, high-quality paper allows excellent contrast and colour vibrancy. It offers a brilliant flow of colours and ensures high luminosity. Due to the use of highly renewable bamboo grass, Hahnemühle Bamboo 265 gsm stands for natural and resource-saving paper production.

Pads and Blocks (Content 25 sheets)

Ref. No.	Size in cm
10 603 074 *	8 x 10.5 (Mini Pad)
10 628 5 <mark>4</mark> 9 **	15.3 x 25
10 628 540	24 x 32
10 628 541	30 x 40
10 628 542	36 x 48
10 628 543	42 x 56

- * Content 10 sheets, pack unit 10 pads
- ** Content 15 sheets, spiral bound

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
11 627 166	50 x 65

Roll

Ref. No.	Size in m
10 629 110	1.25 x 10
10 629 110	1.25 X IU

Sheets (Packing unit 100 sheets)

Ref. No.	Size in cm
10 140 815	<u>50</u> x 65
10 140 810	70 x 100











Bamboo Sketch

105 gsm · 90% Bamboo fibre, 10% cotton rag

Hahnemühle Bamboo 105 gsm is the first sketch paper in the Hahnemühle Traditional FineArt Collection made of Bamboo fibres. The natural white paper is extremely age resistant and has a unique and rough surface suitable for sketch and drawing techniques.

This warm toned, high-quality paper allows for excellent contrasts and colour adherence. Due to the use of highly renewable bamboo grass, Hahnemühle Bamboo 105 gsm stands for natural and resource-saving paper production.

Pads (Content 30 sheets)

Ref. No.	Size
10 628 560	A5
10 628 561	A4
10 628 562	A3

Sheets (Packing unit 100 sheets)

Ref. No.	Size in cm
10 140 801	70 x <u>100</u>



105 gsm · 90% Bamboo fibre, 10% cotton rag

The green Bamboo Sketch books are real eye-catchers: on the outside the cover shows bamboo canes, on the inside the paper is made out of 90% bamboo fibres and 10% rag. By using fast growing bamboo, resources are being preserved.

The natural white sketch paper is great for sketching and drawing with pencil, charcoal and red chalk. Its unique tooth ensures great colours and contrasts. The Bamboo Sketch books are available in both A4 and A5 portrait format containing 128 pages.

Books (Content 64 sheets / 128 pages)

Size
A5
A4











The Collection

he name Hahnemühle stands for paper of excellent quality. For more than 435 years, the company has been producing finest papers in Germany at the foot of the Solling.

Watercolour Ingres Pastel Sketch

Selected raw materials, pure spring water and first-class processing characterises Hahnemühle papers. The know-how that is passed on from generation to generation is reflected in the products and makes them unique.

The collection with the special character that is unique to traditionally manufactured papers includes premium products for each classic painting technique, which are precisely tailored to the requirements of the techniques. Valuable cotton papers and exquisite mould-made papers produced on the traditional cylinder mould machine complete the program. All Hahnemühle artist papers are acid-free and resistant to aging.

The new product range















Watercolour

Watercolour

Produced using a traditional cylinder mould paper machine, the papers have a homogeneous surface that gives the artist

Artists who have high expectations of themselves and their materials will love Hahnemühle The Collection Watercolour 300

optimal control of their pigments. The Collection Watercolour 300 and 640 are available in cold pressed, rough and satin.

and Watercolour 640. The exquisite watercolour papers are available in 300 gsm and 640 gsm in either sheets or blocks.

Hahnemühle The Collection Watercolour 300 and 640 set new standards for high-quality watercolour papers. A carefully chosen variety of cotton offers extremely strong fibres and incomparable purity. The selection of the best raw materials and exclusively natural filler materials gives the Watercolour 300 and Watercolour 640 papers their unparalleled quality.

The prized cotton papers, The Collection Watercolour 300 and 640, are characterised by a very durable paper surface that is well suited for demanding watercolour techniques. The fibres do not lift, rub off or loosen, even when applying multiple layers of varnish or colour, or when using masking pens and tape. This paper lets you use the most beautiful colours and create remarkable wet-on-wet paintings.

Watercolour 300 gsm

Blocks (Content 10 sheets)		
Ref. No.	Surface	Size in cm
10 625 130	cold pressed	24 x 32
10 625 131	cold pressed	30 x 40
10 625 132	cold pressed	36 x 48
10 625 140	rough	24 x 32
10 625 141	rough	30 x 40
10 625 142	rough	36 x 48
10 625 150	hot pressed	24 x 32
10 625 151	hot pressed	30 x 40
10 625 152	hot pressed	36 x 48

Watercolour 300 gsm

Ref. No. Surface pack. unit Size in cm 10 627 150 cold pressed 10 sheets 56 x 76 10 627 151 cold pressed 5 sheets 106 x 78 10 627 152 rough 10 sheets 56 x 76 10 627 153 rough 5 sheets 106 x 78	Sheets (Packing unit 10 or 5 sheets)			
10 627 151 cold pressed 5 sheets 106 x 78 10 627 152 rough 10 sheets 56 x 76 10 627 153 rough 5 sheets 106 x 78	Ref. No.	Surface	pack. unit	Size in cm
10 627 152 rough 10 sheets 56 x 76 10 627 153 rough 5 sheets 106 x 78	10 627 150	cold pressed	10 sheets	56 x 76
10 627 153 rough 5 sheets 106 x 78	10 627 151	cold pressed	5 sheets	106 x 78
	10 627 152	rough	10 sheets	56 x 76
10.007454	10 627 153	rough	5 sheets	106 x 78
10 627 154 not pressed 10 sneets 56 x 76	10 627 154	hot pressed	10 sheets	56 x 76
10 627 155 hot pressed 5 sheets 106 x 78	10 627 155	hot pressed	5 sheets	106 x 78

Watercolour 300 gsm

Rolls		
Ref. No.	Surface	Size in m
10 629 160	cold pressed	1,25 x 10
10 629 161	rough	1,25 x 10







cold pressed / rough / hot pressed







Watercolour 640 gsm

Blocks (Content 10 she	Blocks (Content 10 sheets)			
Re. No.	Surface	Size in cm		
10 625 230	cold pressed	24 x 32		
10 625 231	cold pressed	30 x 40		
10 625 232	cold pressed	36 x 48		
10 625 240	rough	24 x 32		
10 625 241	rough	30 x 40		
10 625 242	rough	36 x 48		
10 625 250	hot pressed	24 x 32		
10 625 251	hot pressed	30 x 40		
10 625 252	hot pressed	36 x 48		
	······································	••••••••••••		

All Hahnemühle papers are vegan, age-resistant and acid-free.

Watercolour 640 gsm

Sheets (packing unit 5	Sheets (packing unit 5 sheets)		
Ref. No.	Surface	Size in cm	
10 627 170	cold pressed	56 x 76	
10 627 171	rough	56 x 76	
10 627 172	hot pressed	56 x 76	





cold pressed / rough / hot pressed







Ingres Pastel () ketch

Ingres Pastel 100 gsm

Hahnemühle The Collection Ingres Pastel offers pastel artists the perfect surface. Designed for this specific artistic technique, the Ingres Pastel Paper has fine ridges and a slightly rough surface. It allows even colour adherence without using a lot of pressure, producing precise and colour-intensive results. Thanks to the exclusive use of high-quality pigmented colours in the production of this paper, Ingres Pastel 100 boasts exceptional lightfastness. It is ideal for pastels, pencils and red chalk. Hahnemühle Ingres Pastel 100 gsm is available as a pad with pages in white or nine other different shades. The paper content of each pad has two cut edges and two deckle-edges. The deckle-edges are created naturally during the production process. This process can result in minimal format deviations, which underlines the character of a natural product and makes each sheet unique. The sheets are available in white, bright white, ivory, antique, corn yellow, grey brown, brown, rose pink, dark blue, middle grey, mouse grey and black. Hahnemühle Ingres Pastel 100 is vegan, acid-free and age-resistant.





Sheets (100 gsm, Packing unit 25 sheets)		
Ref. No.	Size in cm	Colour
10 627 250	62,5 x 48	bright white
10 627 251	62,5 x 48	white
10 627 252	62,5 x 48	ivory
10 627 253	62,5 x 48	antique
10 627 254	62,5 x 48	yellowish
10 627 255	62,5 x 48	rose pink
10 627 256	62,5 x 48	brown
10 627 257	62,5 x 48	grey
10 627 258	62,5 x 48	dark blue
10 627 259	62,5 x 48	middle grey
10 627 260	62,5 x 48	grey brown
10 627 261	62,5 x 48	black



9 colours

white

Ingres Pastel 100 gsm

Pads (Pad content 20 sheets)		
Ref. No.	Size in cm	Colour
10 625 120	24 x 31	9 Colours
10 625 121	24 x 31	white
10 625 122	30 x 40	9 Colours
10 625 123	30 x 40	white
10 625 124	42 x 56	9 Colours
10 625 125	42 x 56	white

Ingres Pastel 150 gsm

Sheets (150 gsm, Packing unit 25 sheets)		
Ref. No.	Size in cm	Colour
10 627 262	104 x 78	white



The Collection Sketch 140 is the only 100% cotton sketch paper in the Hahnemühle Collection. The elegant paper has an exceptionally grainy texture, which can only be achieved through the use of natural felts in the production process. The grainy surface of the natural white paper allows for exceptional colour adherence. Smooth transitions and delicate hatching create depth and 3D effects. At 140 gsm, the exquisite paper is robust yet pleasingly flexible. Hahnemühle Sketch 140 is vegan, acid-free, age-resistant, and is specially designed to meet the requirements of dry techniques.







Pads (Pad content 30 sheets)	
Ref. No.	Size
10 625 160	A5
10 625 161	A4
10 625 162	A3
10 625 163	A2





Watercolour Papers



The mould-made watercolour papers made by
Hahnemühle are real vat papers, produced on a cylinder mould machine, which give them the characteristic deckle edges.
The use of various types of natural felts give these papers a unique surface structure. From hot pressed surface textures for botanical and floral studies to cold pressed papers for strong portraits to rough surface structured papers for abstract landscape paintings.


The papers allow for optimum colour reproduction, have a resistant surface and withstand repeated erasures. These features make them suitable not only for watercolours, but also for other wet-painting techniques, such as gouache, tempera and acrylic, as well as for drawing with charcoal, pencil and crayons.



Watercolour Selection

Watercolour Selection - New qualities, more papers and a new design! Various watercolour papers in one pad

A variety of wonderful watercolour papers, but which one is the right one for me? With a cold pressed. rough or maybe a hot pressed surface texture? How does watercolour paper made from 100% cotton rag behave? Rather a bright white or natural white watercolour quality? If you ask yourself these questions, the Watercolour Selection pad is exactly the right thing for you. The Watercolour Selection pad contains a large selection of high-quality Hahnemühle watercolour papers with a variety of surfaces and grammages. From exquisite 100% cotton papers to watercolour qualities consisting of resource saving natural fibers and papers made from high-quality -cellulose. All Hahnemühle watercolour papers are acid-free, age-resistant and vegan. A perfect pad for beginners and experimental artists. Also ideal as a gift.



The Watercolour Selection pads are available in the formats 17x24 cm and 24x32 cm and contain 14 different watercolour qualities:

The Collection Watercolour 300 gsm, 100% cotton rag, cold pressed (mould-made)|The Collection Watercolour 640 gsm, 100% cotton rag, rough (mould-made)|Agave Watercolour 290 gsm, cold pressed|Turner 300 gsm, 100% cotton rag, cold pressed (mould-made)|Hahnemühle 300 gsm, cold pressed (mould-made)|Harmony 300 gsm, cold pressed | Harmony 300 gsm, rough | Harmony 300 gsm, hot pressed | Expression 300 gsm, 100% cotton rag, cold pressed Britannia 300 gsm, cold pressed Britannia 300 gsm, rough Britannia 300 gsm, hot pressed Torchon 275 gsm | Cornwall 450 gsm, cold pressed



This high-quality, 100% cotton rag, mould-made watercolour paper is natural white, acid free, lightfast, extremely age resistant and material sized. The soft irregular paper texture allows for a wonderful colour absorption with slight granulation in the glaze. The blocks are glued and gauzed to ensure flatness when wet. All sheets (in approx. 48x33 and 50x65 cm) contain the watermark and have 4 genuine deckled edges. The soft, slightly irregular surface structure is ideal for professional artists. "Turner" is suitable for all wet painting techniques: watercolour, gouache, tempera and acrylic.

Blocks (Content 10 sheets)

Ref. No.	Surface	Size in cm
10 628 135	cold pressed	24 x 32
10 628 136	cold pressed	30 x 40
10 628 137	cold pressed	36 x 48

Sheets (4 deckled edges, Packing unit 10 Sheets)

Ref. No.	Surface	Size in cm
10 627 060	cold pressed	approx. 50 x 65
10 102 275 *	cold pressed	approx. 33 x <u>48</u>
10 102 277 *	cold pressed	approx. <u>50</u> x 65
10 102 278 *	cold pressed	approx. 78 x 106
•••••	••••••	***************************************







Mould-made

Watercolour Paper Hahnemühle 200 gsm





200 gsm · cold pressed and rough surface · natural white

Sheets (4 deckled edges, Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 011	cold pressed	approx. 50 x 65
10 627 005	cold pressed	approx. 106 x 78
10 627 013	rough	approx. 50 x 65
10 627 006	rough	approx. 106 x 78
10 102 251 *	cold pressed	approx. <u>50</u> x 65
10 102 253 *	cold pressed	approx. 78 x <u>106</u>
10 102 256 *	rough	approx. 50 x 65
10 102 258 *	rough	approx. 78 x <u>106</u>

^{* 100} sheets



This classic mould-made watercolour paper is natural white, acid free, lightfast, extremely resistant to ageing and material sized. This paper is suitable for all watercolour techniques, especially wet-on-wet painting, for creating effects with crisp and hard-edged colours, smooth washes and also for glazing. The paper is also suitable for gouache and tempera. The blocks are glued and gauzed to ensure flatness when wet. All sheets (in approx. 50x65 and 106x78 cm) contain the watermark and have 4 deckled edges.

200 gsm · cold pressed and rough surface · natural white

Blocks (Content 20 sheets)

DIOONO (Ooment 20 one coo,		
Ref. No.	Surface	Size in cm
10 628 019	cold pressed	12 x 17
10 628 021	cold pressed	17 x 24
10 628 024	cold pressed	24 x 32
10 628 027	cold pressed	30 x 40
10 628 030	cold pressed	36 x 48
10 628 006	rough	8 x 10.5 (Mini Pad)
10 628 020	rough	12 x 17
10 628 022	rough	17 x 24
10 628 025	rough	24 x 32
10 628 028	rough	30 x 40
10 628 031	rough	36 x 48






Mould-made Watercolour Paper

Hahnemühle 300 gsm



300 gsm · cold pressed and rough surface · natural white

Hahnemühle 300 is a natural white watercolour paper and is produced on a traditional cylinder mould paper machine. The paper is natural white, acid free, lightfast, extremely resistant to ageing and material sized. The blocks are glued and gauzed to ensure flatness when wet. All sheets (in approx. 50x65 and 106x78 cm) contain the watermark. This paper is suitable for all watercolour techniques, especially wet-on-wet painting, for creating effects with crisp and hard-edged colours, smooth washes and dry brush technique. This paper is also ideal for painting techniques such as gouache, tempera and acrylic.



cold pressed

BIOCKS (Content 10 sheets)			
Ref. No.	Surface	Size in cm	
10 628 145	cold pressed	24 x 32	
10 628 146	cold pressed	30 x 40	
10 628 147	cold pressed	36 x 48	
10 628 148	cold pressed	42 x 56	
10 628 161	rough	24 x 32	
10 628 162	rough	30 x 40	
10 628 163	rough	36 x 48	
10 628 164	rough	42 x 56	

Sheets (4 deckled edges, F	Packing unit 10 sheets)	
Ref. No.	Surface	Size in cm
10 627 042	cold pressed	approx. 50 x 65
10 627 044	cold pressed	approx. 106 x 78
10 627 045	rough	approx. 50 x 65
10 627 047	rough	approx. 106 x 78
10 102 291 *	cold pressed	approx. <u>50</u> x 65
10 102 293 *	cold pressed	approx. 78 x <u>106</u>
10 102 283 *	rough	approx. <u>50</u> x 65
10 102 287 *	rough	approx. 78 x <u>106</u>
		• • • • • • • • • • • • • • • • • • • •

300 gsm · cold pressed · rough · hot pressed · surface sized

Harmony Watercolour – A natural white paper for all wet painting techniques. Harmony Watercolour features surface sizing. Colours stand out excellently on the paper and impress with their natural brilliance, thus giving every subject its very own unique presence. Masking fluids or masking tape can be used and removed residue-free. While wet colours can be easily corrected or taken off. Harmony Watercolour is acid free, light-resistant and features extreme longevity. It is available in Cold Pressed, Rough and Hot Pressed, and all are eraser resistant due to the surface sizing.









Sheets (Packing Unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 510	cold pressed	50 x 65
10 627 511	cold pressed	70 x 100
10 627 810	rough	50 x 65
10 627 811	rough	70 x 100
10 627 910	hot pressed	50 x 65
10 627 911	hot pressed	70 x 100
10 627 512*	cold pressed	39.4 x 54.6
10 627 513**	cold pressed	78.7 x 54.6
10 627 514***	cold pressed	78.7 x 106.2
10 627 812*	rough	39.4 x 54.6
10 627 813**	rough	78.7 x 54.6
10 627 814***	rough	78.7 x 106.2
10 627 912*	hot pressed	39.4 x 54.6
10 627 913**	hot pressed	78.7 x 54.6
10 627 914***	hot pressed	78.7 x 106.2

Pads and Blocks (Content 12 sheets)

Ref. No.	Surface	Size
10 628 040	cold pressed	A4
10 628 041	cold pressed	A3
10 628 840	rough	A4
10 628 841	rough	A3
10 628 760	hot pressed	A4
10 628 761	hot pressed	A3
10 628 042	cold pressed (spiral bound)	A4
10 628 043	cold pressed (spiral bound)	A3
10 628 842	rough (spiral bound)	A4
10 628 843	rough (spiral bound)	A3
10 628 762	hot pressed (spiral bound)	A4
10 628 763	hot pressed (spiral bound)	A3

* Packing Unit 20 sheets

Blocks (Content 12 sheets)

Ref. No.	Surface	Size in cm
10 628 044	cold pressed	24 x 30
10 628 045	cold pressed	30 x 40
10 628 046	cold pressed	40 x 50
10 628 844	rough	24 x 30
10 628 845	rough	30 x 40
10 628 846	rough	40 x 50
10 628 764	hot pressed	24 x 30
10 628 765	hot pressed	30 x 40
10 628 766	hot pressed	40 x 50

Rolls

Ref. No.	Surface	Size in m
10 629 200	cold pressed	1.52 x 10
10 629 201	rough	1.52 x 10
10 629 202	hot pressed	1.52 x 10

Blocks (Content 12 sheets)

Ref. No.	Surface	Size
10 628 070	cold pressed	7" x 10"
10 628 071	cold pressed	9" x 12"
10 628 072	cold pressed	10" x 14"
10 628 073	cold pressed	12" x 16"
10 628 086	rough	7" x 10"
10 628 087	rough	9" x 12"
10 628 088	rough	10" x 14"
10 628 089	rough	12" x 16"
10 628 092	hot pressed	7" x 10"
10 628 093	hot pressed	9" x 12"
10 628 094	hot pressed	10" x 14"
10 628 099	hot pressed	12" x 16"

Expression

300 gsm · cold pressed · surface sized

Expression Watercolour – the natural white 100% cotton, surface sized paper is suitable for all wet painting techniques and etching. Expression Watercolour features surface sizing. Colours stand out excellently on the paper and impress with their natural brilliance, thus giving every subject its very own unique presence. Masking fluids or masking tape can be used and removed residue-free, while wet colours can be easily corrected or taken off. Expression Watercolour is acid free, light-resistant and features extreme longevity. The surface is eraser resistant due to the surface sizing.

Surface

cold pressed

Size in cm

24 x 30



Ref. No.

10 628 666

Blocks (Content 20 sheets)

Hahnemühle

Sheets (Packing Unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 666	cold pressed	50 x 65
10 627 667	cold pressed	70 x 100

*** Packing Unit 50 sheets



^{**} Packing Unit 100 sheets

Watercolour papers





Allegretto 150gsm

150gsm · rough surface · bright white

This watercolour paper is bright white, acid free, lightfast and extremely resistant to ageing. Fine paper with a slightly rough structure for dry painting techniques. Also suitable for pen and ink drawing which can be enhanced with water or tempera colours. Allegretto is available in pads—glued on both long sides—as well as in sheets and roll for large paintings.

Pads (Content 10 sheets)

Ref. No.	Surface	Size	
10 628 009	rough	A4	
10 628 011	rough	A3	

Sheets (Packing unit 25 sheets)

Ref. No.	Surface	Size in cm
10 627 003	rough, bright white	50 x 65
10 140 998 *	rough, bright white	43 x <u>61</u>
10 140 999 *	rough, natural white	43 x <u>61</u>
10 140 992 *	rough, bright white	<u>50</u> x 65
10 140 993 *	rough, natural white	<u>50</u> x 65
10 140 995 *	rough, bright white	70 x <u>100</u>
10 140 997 *	rough, natural white	70 x <u>100</u>

^{* 100} sheets

Roll

Ref. No.	Size in m
10 629 100	1.25 x 20





220 gsm · rough surface · natural white

D'Aqua is a natural white watercolour paper with a rough surface texture. Excellent for watercolour paintings, as well as for sketching and drawing. The pads are glued on both long sides. Acid free, lightfast and extremely resistant to ageing.

Pads (Content 30 sheets)

raus (Content 30 sneets)		
Ref. No.	Surface	Size in cm
10 628 340	rough	17 x 24
10 628 341	rough	24 x 32
10 628 342	rough	30 x 40
10 628 343	rough	36 x 48





Watercolour Paper

Burgund cold pressed & rough 250 gsm



250 gsm · cold pressed and rough · natural white

Hahnemühle Burgund is a classic natural white watercolour paper. Wet paint is easily rectified, right down to the white paper, i.e. at this stage paints may still be removed from the board. Ideal for all watercolour techniques – particularly for wet-in-wet painting – and also for gouache and tempera. The blocks are glued on all 4 sides. Acid free, lightfast and extremely age resistant.

Blocks (Content 20 sheets)

Ref. No.	Surface	Size (in cm)	
10 628 080	cold pressed	17 x 24	
10 628 081	cold pressed	24 x 32	
10 628 082	cold pressed	30 x 40	
10 628 083	cold pressed	36 x 48	
10 628 090	rough	A6	(Post card pad)
10 628 091	rough	10.5 x 21	(Post card pad)
10 628 002	rough	17 x 24	
10 628 003	rough	24 x 32	
10 628 004	rough	30 x 40	
10 628 005	rough	36 x 48	

Sheets (Packing unit 10 sheets)

Cities and the second		
Ref. No.	Surface	Size in cm
11 627 048	cold pressed	50 x 65
11 627 049	cold pressed	100 x 70
11 627 009	rough	50 x 65
11 627 001	rough	100 × 70



Watercolour Paper

Torchon



275gsm · fine cloudy surface · bright white

The French word "torchon" characterizes a very coarse linen structure. So is the surface of this paper. The blocks are glued and gauzed on all 4 sides to ensure flatness when wet. "Torchon" is ideal for all wet painting techniques: watercolour – especially for effects with hard-edged colours and smooth washes – and also gouache, tempera and acrylic. Acid free, lightfast and extremely resistant to ageing.

Blocks (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 628 110	rough	12 x 17
10 628 111	rough	17 x 24
10 628 112	rough	24 x 32
10 628 113	rough	30 x 40
10 628 114	rough	36 x 48

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
11 627 090	rough	50 x 65
11 627 091	rough	100 x 70



Watercolour Paper

Veneto

rough & cold pressed

325gsm · front rough · reverse cold pressed · natural white

The Akademie Watercolour paper "Veneto" 325 gsm is natural white, acid free and age resistant. The front side of the paper has the structure and charm, as well as the flow behaviour, of high-quality mould-made papers. The reverse side has a cold pressed structure which also offers interesting painting effects.

Ideal for all wet painting techniques: watercolour, gouache, tempera and acrylic. The blocks are glued on all 4 sides.

Blocks (Content 12 sheets)


Ref. No. Surface	Size in cm
10 628 504 front rough · reverse c	old pressed 24 x 32
10 628 505 front rough · reverse of	

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
11 627 162	front rough · reverse cold pressed	50 x 65
10 140 920 *	front rough · reverse cold pressed	<u>50</u> x 65
10 140 921 *	front rough · reverse cold pressed	70 x <u>100</u>



The classic in cold pressed, rough and hot pressed. Particularly well suited for watercolour (wet-in-wet, smooth wash and dry painting) as well as gouache, tempera and acrylic. When wet, the natural white tough surface provides outstanding flatness. Colours can be applied easily, it's acid-free, light-resistant and features extraordinary longevity. The blocks are glued on all 4 sides.





Blocks (Content 12 sheets)

Ref. No.	Surface	Size in cm
10 628 983	cold pressed	17 x 24
10 628 980	cold pressed	24 x 32
10 628 981	cold pressed	30 x 40
10 628 982	cold pressed	36 x 48
10 628 984	cold pressed	42 x 56
10 628 993	cold pressed	20 x 50 (Panoramic)
10 628 330 (30 sheets)	cold pressed	25.4 x 25.4
10 628 331 (30 sheets)	cold pressed	30 x 30
10 628 332 (30 sheets)	cold pressed	40 x 40
10 628 970	rough	17 x 24
10 628 971	rough	24 x 32
10 628 972	rough	30 x 40
10 628 973	rough	36 x 48
10 628 974	rough	42 x 56
10 628 640	hot pressed	17 x 24
10 628 641	hot pressed	24 x 32
10 628 642	hot pressed	30 x 40
10 628 643	hot pressed	36 x 48
10 628 644	hot pressed	42 x 56
10 628 645	hot pressed	20 x 50 (Panoramic)

Rolls

Ref. No.	Surface	Size in m
10 629 109	cold pressed	1.25 x 10
10 629 102	rough	1.25 x 10
10 629 112	hot pressed	1.25 x 10

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
11 627 082	cold pressed	50 x 65
11 627 083	cold pressed	100 x 70
11 627 080	rough	50 x 65
11 627 081	rough	100 x 70
10 627 640	hot pressed	50 x 65
10 627 641	hot pressed	100 x 70
10 140 968 *	cold pressed	<u>50</u> x 65
10 140 967 *	cold pressed	70 x <u>100</u>
10 140 969 *	rough	<u>50</u> x 65
10 140 963 *	rough	70 x <u>100</u>
10 140 952 *	hot pressed	<u>50</u> x 65
10 140 958 *	hot pressed	70 x <u>100</u>

* 100 sheets





Watercolour Paper

Cornwall

450gsm · cold pressed and rough · bright white

Bright white, acid free, lightfast and extremely age resistant. The heavy weight provides a very stable paper that ensures improved flatness when wet. "Cornwall" offers good colour flow and high colour intensity. This quality is ideal for wet painting techniques: watercolour – especially smooth washes and dry painting – and also gouache, tempera and acrylic. The blocks are glued on all 4 sides. Acid free, lightfast and extremely resistant to ageing.



Blocks (Content 10 sheets)

Ref. No.	Surface	Size in cm
10 628 414	cold pressed	17 x 24
10 628 410	cold pressed	24 x 32
10 628 411	cold pressed	30 x 40
10 628 412	cold pressed	36 x 48
10 628 420	cold pressed	42 x 56
10 628 413	cold pressed	20 x 50 (Panoramic)
10 628 419	rough	17 x 24
10 628 415	rough	24 x 32
10 628 416	rough	30 x 40
10 628 417	rough	36 x 48
10 628 421	rough	42 x 56





Sheets (Packing unit 10 sheets)

,	,		
Ref. No.	Surface	Size in cm	
10 627 140	cold pressed	50 x 65	
10 627 142	cold pressed	100 x 70	
10 627 145	rough	50 x 65	
10 627 146	rough	100 x 70	



Watercolour Paper

Andalucia

500 gsm · front rough · reverse cold pressed · natural white

The Akademie Watercolour paper "Andalucía" 500 gsm is natural white, acid free and age resistant. The front side of the paper has the structure and charm, as well as the flow behaviour, of high-quality mould-made papers. The reverse side has a cold pressed structure which also offers interesting painting effects. Ideal for all wet painting techniques: watercolour, gouache, tempera and acrylic. The blocks are glued on all 4 sides. Acid free, lightfast and extremely resistant to ageing.

Blocks (Content 12 sheets)

Ref. No.	Surface	Size in cm
10 628 524	front rough · reverse cold pressed	24 x 32
10 628 525	front rough · reverse cold pressed	30 x 40
10 628 526	front rough · reverse cold pressed	36 x 48
10 628 527	front rough · reverse cold pressed	42 x 56

Sheets (Packing unit 10 sheets)

Ref. No.	Surface	Size in cm
10 627 164	front rough · reverse cold pressed	10 627 164
10 140 925 *	front rough · reverse cold pressed	10 140 925 *
10 140 926 *	front rough · reverse cold pressed	10 140 926 *

* 50 chaote


The front side of the paper has a rough surface structure the reserve side is cold pressed







Toned Watercolour Paper



Toned Watercolour Book

Inspired by Urban Sketchers

The gently toned watercolour paper with a weight of 200 gsm has an even, fine-grained surface structure on both sides providing a natural background for your artwork. The Toned Watercolour range is available in either grey or beige watercolour paper. Suitable for all wet techniques.

Acid-free and aging-resistant.

Books, GREY (200 gsm, 30 sheets / 60 pages)

Ref. No.	Size
10 625 170	A6 landscape size
10 625 171	A5 landscape size
10 625 172	14 x 14 cm square format





Books, BEIGE (200 gsm, 30 sheets / 60 pages)

Ref. No.	Size
10 625 180	A6 landscape size
10 625 181	A5 landscape size
10 625 182	14 x 14 cm square format





Watercolour Book

New formats and new design

The Watercolour Book contains natural white watercolour paper with fine-grained surfaces on the front and back that are popular with watercolourists. You can create motifs over the entire width of the book. Even on long journeys, 60 pages provide plenty of space for holiday or landscape sketches and paintings. The Watercolour Book is suitable for all watercolour techniques, especially for the wet-on-wet technique. A water-repellent cover protects the content, available in eight different sizes. Vegan, non-ageing, and acid-free.







200 gsm · fine grain texture on the front and reverse side natural white

Books (200 gsm, 30 sheets / 60 pages)

Doorto (200 gain, 00 anceta / 00 pages)				
Size				
A6 portrait size				
A5 portrait size				
A4 portrait size				
A6 landscape size				
A5 landscape size				
A4 landscape size				
14 x 14 cm				
19,5 x 19,5 cm				





the ZigZag book ZigZag ZigZag

Rugged oversized book covers help to protect the content. Due to its durable cover, the ZigZag book is inured to outside influences. An eye catching red band in the upper right corner can be used to close the book securely. The rooster on the backside underlines the exclusivity of the Hahnemühle creative prowess.

Books (Content 18 pages)

Ref. No.	Size
10 625 000	A6
10 625 001	A5
10 625 002	14x14cm
10 625 005	5x5cm

18 pages of the finest watercolour paper folded in accordion style provide unlimited possibilities. No matter if it is the giraffe with the longest neck, the widest panorama or an Instagram-style pictorial, the ZigZag book you can do it all. Ideal for urban sketchers and all those that love to paint and draw while being on the road.

The watercolour paper features a fine-grain surface on both sides and is perfectly suited for all wet painting techniques with brush or pen. The 300gsm weight ensures stability and thanks to the surface sizing, colours flow with ease and can be lifted without any problems. The paper is eraser-resistant and masking fluid and tapes are removed residue-free.



300 g/m² 18 Pages, Seiten, Pages, Páginas

Carnet





400 gsm \cdot cold pressed \cdot material sized

Pads (Content 15 sheets)

Ref. No.	Surface	Size in cm
10 628 380	cold pressed	15.3 x 25
10 628 381	cold pressed	19 x 20



With "Carnet de Voyage" and "Carnet Aquarelle", painters are equipped with the right tool for their creative passion on a painting trip. The heavy grammage of the cold pressed watercolour paper and its spiral binding are ideal for creative travel diaries.



Watercolour Postcards

Edition 2023/2024

230gsm · rough and cold pressed · material sized

Box (Content 30 sheets)

Ref. No.	Surface	Size in cm
10 650 000	rough	10.5 x 14.8
10 650 150	cold pressed	10.5 x 14.8



Watercolour painters send greetings using self-designed watercolour postcards. Creative watercolour painters will find 30 natural white postcards, acid free and the highest archival quality, in this attractive metal box featuring the new editions image. With the address panel printed on the reverse, these cards have a rough and cold pressed textured surface and rounded corners which are ideal for personalised greetings or invitations.



This very absorbent paper is ideal for "freestyle" brush painting. "Sumi" means "black ink" and "e" means both "path" and "painting". The style of brush painting is both a simple and yet highly aesthetic drawing made of powerful, mostly chasing and rapidly executed lines.

The pads are glued on one long side and have interleaf sheets between the Sumi-e sheets..Acid free and age resistant.

80gsm · cold pressed · natural white

Pads (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 628 370	cold pressed	24 x 32
10 628 371	cold pressed	30 x 40


Sheets (Content 20 sheets)

Ref. No.	Surface	Size in cm
10 627 070	cold pressed	50 x 65

ANNIVERSARY EDITION

425gsm · cold pressed · bright white

A high-quality watercolour paper with a cold pressed surface structure in 425 gsm. This paper quality is acid free, lightfast and extremely resistant to ageing and suitable for all wet painting techniques such as watercolour, gouache, tempera and acrylic.



Blocks (Content 15 sheets)

Ref. No.	Surface	Size in cm
10 650 070	cold pressed	24 x 32
10 650 071	cold pressed	30 x 40
10 650 078	cold pressed	36 x 48

Mixed Media Universal Pad

310 gsm · fine grain · natural white

This material sized paper quality is suitable for different painting techniques such as watercolour, acrylic and gouache. The paper is natural white and has a fine grain surface texture for extraordinary painting effects. The blocks are acid free and age resistant.


Blocks (Content 25 sheets)

Ref. No.	Surface	Size in cm
10 650 200	fine grain	24 x 32
10 650 201	fine grain	30 x 40
10 650 202	fine grain	36 x 48





Sketch pads







ur white and natural white sketch papers with fine grain surfaces are perfectly suited for all dry painting techniques such as pencil, crayons, charcoal, red ochre etc.

Thanks to the best ingredients and the wide range of weights from 100 gsm up to 250 gsm, this paper is an optimum base for various artistic applications.




100 gsm

A fine, soft drawing paper with high volume. The fine matt surface structure allows for an even colour application. The natural white paper helps to ensure the colours look soft and unencumbered. Suitable for all dry-painting techniques. The pads are available glued on top or spiral bound with micro-perforation. In both cases, once removed from the pad, the sheets conform to the exact specified format size. Acid free and with high longevity.

Pads (Content 100 sheets)

Ref. No.	Binding	Size
10 628 245	glued on top	A4
10 628 246	glued on top	A3
10 628 248	spiral bound, micro-perforated	A4
10 628 249	spiral bound, micro-perforated	A3








100 asm

The Tradition sketchpad has a natural white paper with a very durable surface making it well suited for both light and heavy line work as well as solid patches of colour with both soft and medium hard pens. These same surface properties produce great results for burnishing and rubbing-in techniques, making it an easy and effortless process.

This spiral pad has "micro-perforated" sheets making it easy to detach your artwork from the pad and produces a clean well-trimmed edge and the detached sheet relate to the pad size of the paper. Another bonus of the spiral-bound construction is that it produces the perfect companion for you take out on location and "on the road" with you.

Pads (Content 50 sheets)

Ref. No.	Binding	Size in cm
10 628 202	spiral bound, micro-perforated	17 x 24
10 628 203	spiral bound, micro-perforated	24 x 34
10 628 204	spiral bound, micro-perforated	30 x 42










150 gsm

The 150 gsm paper looks and feels very smooth but features a fine grain guaranteeing excellent colour abrasion. With a natural white tone it makes for good contrasts and a high level of vividness. Artists using the Hahnemühle sketch paper 'Dessin' praise its absorption capacities that prevent the drop off of unfixed pigments. Available in five formats. The new waistcoat-pocket format A6 is particularly suited for artists who want to capture whilst out on the road.

This spiral pad has "micro-perforated" sheets making it easy to detach your artwork from the pad and produces a clean well-trimmed edge. The detached sheets relate to the pad size of the paper. Acid free, high longevity.

Pads (Content 25 sheets)

Ref. No.	Binding	Size
10 628 190	spiral bound, micro-perforated	A6
10 628 191	spiral bound, micro-perforated	A5
10 628 192	spiral bound, micro-perforated	A4
10 628 193	spiral bound, micro-perforated	A3
10 628 194	spiral bound, micro-perforated	A2







Quattro

170 gsm

Natural white, acid free sketching pad in a squared format.

The paper's 1.7-fold weight provides a pleasant texture and its weight corresponds to a board of 250 gsm. The semi-rough surface ensures good colour adherence. Due to the extra high bulk, it is also suitable for watercolours.

Pads (Content 50 sheets)

. acara (content or one oto)	
Ref. No.	Size in cm
10 628 320	25.4 x 25.4
10 628 321	30 x 30
10 628 322	40 x 40

Mostalgie

Nostalgie-Sketch books on page 68







190 gsm

The heavy, natural white paper pad, glued on top, feels both solid and flexible. The fine grain of the paper makes the pen slide over the surface virtually on its own. Clearly defined pen control and delicate hatchings allow for every kind of work – from the architectural sketch to the fast, vividly coloured sketch. Suitable for use with all dry-painting techniques in addition to wet colours, the paper brings a great sense of versatility and precision to the artistic process. Acid free, high longevity.

Pads (Content 50 sheets)

Size	
A5	
A4	
A3	
A2	
A1	
10.5 x 14.8 cm	(post card pad)
	A5 A4 A3 A2 A1

^{*} Content 25 sheets, ** Content 20 sheets



When letters become art...

The Hahnemühle Hand Lettering Block offers hand lettering enthusiasts a first-class foundation for practising their art. Developed together with hand lettering artists, it has been tailored to their specific needs, forming the basis for outstanding lettering.

Brush pens, fine-tip pens and pencils simply glide across the highly smooth paper. Preliminary sketches can be easily rubbed out on the coated surface, and the tips of sensitive brush pens or paintbrushes are preserved. The smooth, closed surface traps colours and prevents bleeding.

The brilliant white paper ensures vibrant colours; both monochrome and multicoloured motifs stand out and can be easily scanned and then further processed digitally. Our pads offer the perfect absorption and drying behaviour for brush pens, fine-tip pens and felt-tip pens.

The paper weighs 170 g/m 2 , and the pads – 25 sheets each and bound at the top – are available in A5 and A4 format.



Hand Lettering 170 gsm

 Pads (Content 25 sheets)

 Ref. No.
 Size

 10 628 990
 A5

 10 628 991
 A4



Skizze





The pad covers, with their clear design, are akin to the paper within. An unobtrusive, exclusive sketch paper is easy to work with at any opportunity. The bright white makes for beautiful gradation of the colours and the consistent structure allows for both drawing quickly and working accurately. Suited for all dry-painting techniques and pencils of all degrees of hardness. With a weight of 120 gsm, the paper is pleasantly flexible. The 190 gsm version, remains flexible but gives that extra strength required for continued workability.


The pads are available glued on top or spiral bound with micro-perforation. In both cases, once removed from the pad, the sheets conform to the exact specified format size. Acid free and with high longevity.

07

120 gsm

Pads (Content 50 sheets)

Ref. No.	Binding	Size
60 127 420	glued on top	A5
60 127 422	glued on top	A4
60 127 424	glued on top	A3
60 127 428	glued on top	A2
60 127 429	glued on top	A1
60 120 268	spiral bound, micro-perforated	A4
60 120 269	spiral bound, micro-perforated	A3








190 gsm

Pads (Content 50 sheets)

Ref. No.	Binding	Size
60 127 430	glued on top	A5
60 127 432	glued on top	A4
60 127 434	glued on top	A3
60 127 438	glued on top	A2
60 127 439	glued on top	A1
60 120 278	spiral bound, micro-perforated	A4
60 120 279	spiral bound, micro-perforated	A3
60 120 280	spiral bound, micro-perforated	A2





BLOCK BLOCK 185 g/m² A4 40 Sheets · Blatt Ref. No. 10 628 910 SKETCH

185 gsm

10 628 912

This paper – which seems to be an ordinary paper at first glance – has a silky structure that allows for extraordinarily accurate drawing with virtually no blurring. It has a bright white surface which makes for clear contrasts. Controlling the pen is made pleasantly simple and when used with higher pressure, the pen makes for fine notches, allowing for undreamed of possibilities. Suited for all drypainting techniques. Acid free with high longevity.

Pads (Content 40 sheets)		
Ref. No.	Size	
10 628 910	A4	
10 628 911	A3	

A2

Sketch Paper
VELVET

185 gsm

Pen Pad 250 gsm



250 gsm \cdot double sized

This solid paper is designed to work accurately with the finest hatchings and shades of colour. Pencils or drawing pens virtually flow across the extremely smooth surface, allowing for rich lines and gentle drawing style at the same time. Suitable for all grades of pencil hardness, together with drawings using bow-type drawing pens, ink, drawing pens, paint brush and calligraphy pens. Natural white, acid free, high longevity.



Pads (Content 10 sheets)

Ref. No.	Size
10 628 701	A4
10 628 702	A3



Sheets (Content 100 matt)

Officets (Content 100, mart)		
Ref. No.	Grammage	Size in cm
10 624 810	200 gsm	21 x 29.7
10 624 811	200 gsm	29.7 x 42
10 624 812	200 gsm	43 x 61
10 624 813	200 gsm	61 x 86
10 624 820	250 gsm	21 x 29.7
10 624 821	250 gsm	29.7 x 42
10 624 822	250 gsm	43 x 61
10 624 823	250 gsm	61 x 86

Fine white drawing paper, acid free, double sized, opaque, withstands repeated erasures. For technical and artistic drawings and for school use.

Rolls

Ref. No.	Grammage	Size in m	
10 624 850	200 gsm	0.98 x 20	
10 624 851	200 gsm	1.48 x 20	

60

Hahnemühle

Federzeichenblock





The Grey Pad & The Cappuccino Pad



The Grey Pad and The Cappuccino Pad

Hahnemühle is extending its range of very popular toned sketch papers with new pad formats. The Grey Pad and The Cappuccino Pad complements the Hahnemühle toned sketch paper assortment, inspired by the success of The Grey Book and The Cappuccino Book.

The light grey smooth sketch paper in The Grey Pad perfectly captures rainy days or dark nights, by setting shadows or white highlights so wonderful details can appear. Pens glide easily over the gently toned paper, ideal for paintings with water-based pens and inks. The cappuccino-coloured paper is reminiscent of freshly frothed milky coffee and offers warm-toned motifs an excellent painting base. Soft tones stand out on the smooth paper surface and can bring to life the unique luminosity of coloured pencils on the 120 gsm heavy paper.

These smooth coloured sketch papers both have a closed surface are perfectly suited for ink pens, fountain pens, coloured pencils and acrylic markers as well as all other water-based pens with little abrasion. Pads in both ranges are glued to the top and contain 30 sheets of 120gsm paper. When framed, these artworks will also form a nice eye-catching statement on the wall. The Grey Pad and The Cappuccino Pad are available in sizes A6, A5, A4, 14 x 14 cm and 20 x 20 cm. Like all Hahnemühle papers, they are aging-resistant and vegan.



The Grey Pad (120 gsm, 30 sheets)

Ref. No.	Size
10 625 320	A6
10 625 321	A5
10 625 322	A4
10 625 323	14 x 14 cm
10 625 324	20x20 cm

The Cappuccino Pad (120 gsm, 30 sheets)

	,
Ref. No.	Size
10 625 330	A6
10 625 331	A5
10 625 332	A4
10 625 333	14x14cm
10 625 334	20x20 cm
	•••••••••••••••••••••••••••••••••••••••



The CAPPUCCINO Book



With its light-brown paper, this sketchbook reminds of a cappuccino with fresh froth. Therefore, it's the ideal first choice for warm shades of colour. On the restrained background, colours stand out well and shine gently. By setting white accents, you can create wonderful contrasts. The smooth sketch paper, with its closed surface, is perfectly suited for working with Indian-ink pens, fountain pens and acrylic markers, as well as other water-based pens with minimum abrasion.

The dark-brown cover of the sketchbook nestles smoothly in your hands. Firm and discreetly grained, it feels like real wood. Bound in several layers and thread-stitched, all the pages sit solidly and allow the artist to work on two pages, across the centre seam. A brown bookmark ribbon completes the premium-quality features. With 40 sheets / 80 pages featuring 120 gsm, The Cappuccino Book is slim and an ideal companion if you are on the road or travelling. At the same time, it comes with enough reserves for many subjects. Available in A4 and A5, acid-free and with a high level of longevity.


Books (Content 40 sheets /80 pages)

Ref. No.	Size
10 628 995	A5
10 628 996	A4



THE GREY BOOK





The smooth sketch paper is well suited for working with Indian ink, fountain pens and acrylic markers, as well as other water-based pens with minimum abrasion. Colours stand out well on the light-grey, non-absorbing surface. Subjects can be laid out from bright to dark and completed by setting white accents.

With its unobtrusive figure, the anthracite coloured cover provides the impression of precious wood and touching it feels great. Bound in several layers and thread-stitched, all the pages sit solidly and allow the artist to work on two pages, across the centre seam. A red bookmark ribbon completes the premium-quality features.

With 40 sheets/80 pages featuring 120 gsm, The Grey Book is slim and an ideal companion if you are on the road or travelling. At the same time, it comes with enough reserves for many subjects. Available in A4 and A5, acid-free and with a high level of longevity.

Books (Content 40 sheets /80 pages)

Ref. No.	Size
10 628 681	A5
10 628 682	A4

Nostadgie





The popular classic.

Thread stitching makes for a solid binding and good flatness across the sheets. Double sided sketches and drawings across the fold can be created without any problems. With an anthracite-coloured cover featuring a linen structure, the book is hard-wearing and pleasant to the touch.

Each book features 40 sheets / 80 pages of heavy, 190 gsm natural white paper. Clearly defined pen control and delicate hatchings allow for every kind of work – from the architectural sketch to the fast, vividly coloured drawings. Suitable for use with all dry-painting techniques in addition to wet colours, the paper brings a great sense of versatility and precision to the artistic process. Acid free with a high longevity. Available in A4, A5 and A6 sizes, each with a portrait or landscape option.

Books (Content 40 sheets / 80 pages)

Ref. No.	Size
10 628 690	A6 portrait size
10 628 691	A6 landscape size
10 628 692	A5 portrait size
10 628 693	A5 landscape size
10 628 694	A4 portrait size
10 628 695	A4 landscape size



250 gsm

The Black Books by Hahnemühle are small, black and versatile. These spiral-bound books with black paper were originally designed for sketching and pastel painting with contrasting colours, but they are also wonderful for other creative applications like scrapbooking, as a photo album, a guest book, a diary and many more. The 60 pages of black paper are acid free, allowing for long creative usage of the book.

Books (Content 30 sheets / 60 pages, spiral bound)

Ref. No.	Size
10 628 501	A5
10 628 502	A4
10 628 503	23.5 x 23.5 cm






Sketch Book Deko

140 gsm · with ribbed cover

Natural white, 1.5x bulk, acid free and age resistant, portrait size.

Books (Content 62 sheets / 124 pages, spiral bound)

Ref. No.	Size	
10 628 287	A5	
10 628 288	A4	






Sketch Booklet

140 gsm

The black sketch booklet, with its subtly grained cover, is the day-to-day companion for those who appreciate simple elegance. Being both flexible and slender, it fits into every pocket. The slightly rough ecru paper is suited for drawings with pencil, charcoal and red chalk. as well as coloured and pastel pencils and gel pens. It comes with 40 pages and is available in A4 and A5 formats.

Booklets (Content 20 sheets / 40 pages)

Ref. No.	Size
10 628 730	A5
10 628 731	A4






125 gsm

With its hard-wearing stitched binding, the 40-page Sketch & Note makes for the ideal travel companion. The full-grain natural white 125 gsm paper is perfectly suited for drawings and notes with pens of any kind. Sketch & Note is available in two-copy bundles in a variety of sizes. Six trendy cover colours are available: Cerise/Paprika in the 'Red Bundle', Delphinium/Menthe in the 'Blue Bundle' and Laurier/Fuchsia in the 'Grey/Pink Bundle'. Each booklet comes with a lined sticker for the owner's individual labelling.

Booklet (Content 20 sheets / 40 pages)





This sketch book is ideal for drawing with pencil, charcoal or red ochre.

The natural white colour allows good contrast and colour vibrancy of the sketches. Acid free and age resistant.

Rooks	(Content 62 sheets	/124 pages)
DUUNS	IL ontent by sneets	/ 124 pagest

Ref. No.	Size
10 628 352	A5
10 628 353	A4
10 628 354	A3



120 asm

This special acid-free sketch paper is ochre in colour. The strong colour makes for an interesting background. Thanks to the spiral binding, the rugged cover can be fully opened to provide a sturdy base whilst on location.

It contains 160 pages of Kraft Paper, is available in A4 and A5 formats and has a pocket in the back cover which offers space for notes and souvenirs. The Kraft Paper Sketchbook has an elasticated strap to keep the book closed when not in use.

Books (Content 80 sheets / 160 pages, spiral bound)

Ref. No.	Size
10 628 780	A5
10 628 781	A4



The slightly rough paper is suitable for drawings with pencil, charcoal and red chalk as well as coloured and pastel pencils.

Kraft Paper Sketch Booklet

Being rugged and flexible at the same time, this acid-free kraft paper sketch booklet doesn't need much space. It resembles an exercise book but being more durable and professional, it is the ideal companion for purists. It comes with 40 pages and is available in A4 and A5 formats.

The slightly rough paper is suited for drawings with pencil, charcoal and red chalk, as well as coloured and pastel pencils.

Booklets (Content 20 sheets / 40 pages)

Ref. No.	Size
10 628 790	A5
10 628 791	A4



Travel Journals & Travel Booklets in Counter Display

filled with 44 products

The handy Travel Journals or Travel Booklets are ideal for jotting down ideas or impressions whilst on the road. They are a practical companion for mobile people. who prefer to record their thoughts, feelings or impressions in a traditional manner between the covers of a book or booklet. The Travel Journals from Hahnemühle, available in 9 x 14 cm and 13.5 x 21 cm size in both portrait and landscape

Booklets are available in sizes 9 x 14 cm and 13.5 x 21 cm in portrait format. The booklets are also provided with a small pocket in the rear cover; a great idea for collecting loose notes, photos or other "valuables" that shouldn't be lost. The unlined sketch paper with a grammage of 140 gsm has a light structure ensuring good colour adhesion, making this paper ideal for lively and long-lasting pencil drawings. Acid free and age resistant.

Travel Journals (Content 62 sheets / 124 pages)

Ref. No.	Size in cm
10 628 390	9 x 14 portrait format
10 628 391	9 x 14 landscape format
10 628 392	13.5 x 21 portrait format
10 628 393	13.5 x 21 landscape format

Travel Booklets (2 books à 20 sheets / 40 pages)

Ref. No.	Size in cm
10 628 394	9 x 14 portrait format (Two Booklets)
10 628 395	13.5 x 21 portrait format (Two Booklets)
	10 628 394

The attractive counter display contains 6 Travel Journals each in portrait and landscape format each in 9x14 and 13.5x21 cm size. In addition, the display contains Travel Booklets in 10 packs of 2 booklets each in 9 x 14 and 13.5 x 21 cm, in portrait format.

Counter Display (filled)

Ref. No.	Size in cm (W x D x H)
10 628 399	approx. 30 x 28 x 47





Sketch Book D&S

140 gsm, natural white, 1.5x bulk, Acid free and age resistant. P = Portrait format / L = Landscape format

Books	(Content 80 sheets / 160 pages)
-------	---------------------------------

Ref. No.		Size	
10 628 323 *	black, stitched binding	A6 P	
10 628 324 *	black, stitched binding	A6 L	
10 628 270	black, stitched binding	A5 P	
10 628 271	black, stitched binding	A5 L	
10 628 272	black, stitched binding	A4 P	
10 628 273	black, stitched binding	A4 L	
10 628 274	black, stitched binding	A3 P	
10 628 200	black, stitched binding	A3 L	
10 628 225	black, stitched binding	14 x 14 cm	square format
10 628 226	black, stitched binding	19.5 x 19.5 cm	square format
10 628 226 10 628 227	black, stitched binding black, stitched binding	19.5 x 19.5 cm 25 x 25 cm	square format square format
•••••			
10 628 227	black, stitched binding	25 x 25 cm	
10 628 227 10 628 292	black, stitched binding red, stitched binding	25 x 25 cm A5 P	
10 628 227 10 628 292 10 628 293	black, stitched binding red, stitched binding red, stitched binding	25 x 25 cm A5 P A5 L	
10 628 227 10 628 292 10 628 293 10 628 294	black, stitched binding red, stitched binding red, stitched binding red, stitched binding	25 x 25 cm A5 P A5 L A4 P	
10 628 227 10 628 292 10 628 293 10 628 294 10 628 297	black, stitched binding red, stitched binding red, stitched binding red, stitched binding red, stitched binding	25 x 25 cm A5 P A5 L A4 P A4 L	
10 628 227 10 628 292 10 628 293 10 628 294 10 628 297 10 628 207	black, stitched binding red, stitched binding black, spiral bound	25 x 25 cm A5 P A5 L A4 P A4 L A5 P	
10 628 227 10 628 292 10 628 293 10 628 294 10 628 297 10 628 207 10 628 208	black, stitched binding red, stitched binding black, spiral bound black, spiral bound	25 x 25 cm A5 P A5 L A4 P A4 L A5 P A5 L	

^{*} Content 62 sheets / 124 pages

Sketch Book D&S "Mini"

140 gsm, natural white, 1.5x bulk, acid free and age resistant.

Books (Content 30 sheets / 60 pages)

Ref. No.		Size in cm	
10 628 329	black, stitched binding	12.5 x 9	





Pastel Papers

evelop your creativity!

Pastel painting – the oldest painting technique!

The pastel papers made by Hahnemühle not only reproduce the colours faithfully, but also allow a variety of special effects to be created. They are available with various surface structures – from smooth to ribbed – and in a wide range of colours. All types of paper guarantee perfect colour adhesion and optimum formation of pigments.



Sketch / Pastel

130 gsm · 100% cotton rag · material sized

Sketch/Pastel 130 gsm is the first product in the Hahnemühle Sketch/Pastel range made from 100% cotton rag. The natural white paper has a fine grain and an even surface texture which ensures optimum colour adherence for clear and colour intensive strokes. This paper quality is perfectly suited for pencil, charcoal, red ochre and pastel paintings. Sketch/ Pastel 130 gsm is acid free and age resistant. It is glued along the top edge and available in sizes DIN A5 to DIN A2.



Pads (Content 30 sheets)

Ref. No.	Size
10 628 544	A5
10 628 545	A4
10 628 546	A3
10 628 547	A2





260 gsm

Pastel velour paper for pastel and oil pastel crayon.

10 different colours:

white, medium grey, yellow, green, orange, dark grey, sand, ochre, light grey, black



Pads (Content 10 sheets)

Ref. No.	Size in cm	Colour
10 628 601	24 x 32	10 different colours
10 628 611	24 x 32	white
10 628 602	30 x 40	10 different colours
10 628 612	30 x 40	white
10 628 603	36 x 48	10 different colours
10 628 613	36 x 48	white

Sheets (50x70cm, pack. unit 10 sheets)

Ref. No.	Colour
10 627 601	white
10 627 602	medium grey
10 627 603	yellow
10 627 606	dark grey
10 627 607	sandy
10 627 608	ochre
10 627 609	light grey
10 627 610	black



lana Colours

160 g/m² · 45% cotton rag

A 45% cotton rag paper, textured on one side, smooth on the other side, allowing you to show all of your inspirations off to the very best effect. The 37 solution dyed colours in the LanaColours range offer a surface full of character and intensity for a highly versatile range of use. Acid free (except for black).

Sheets (21x29.7 cm, packing unit 50 sheets)

Ref. No.	Colour
15 023 100	white
15 023 137	blue
15 023 136	light blue
15 023 131	canary
15 023 146	cream
15 023 158	steel grey
15 023 143	sap green
15 023 148	oyster
15 023 139	royal blue
15 023 151	brown

Sheets (50x65 cm, packing unit 25 sheets)

O.	OTTOOLO (500x05 cm, packing unit 25 sheets)	
Re	f. No.	Colour
15	011 461	white
15	011 496	blue
15	011 480	light blue
15	011 472	canary
15	011 465	cream
15	011 467	steel grey
15	011 481	sap green
15	011 464	oyster
15	011 487	royal blue
15 (011 489	brown

lana Colouts

Sheets (21x29.7 cm, packing unit 50 sheets)

The state of the s	
Ref. No.	Colour
15 023 149	sand
15 023 150	ochre
15 023 156	pearl
15 023 160	black
15 023 132	orange
15 023 133	red
15 023 154	dark grey
15 023 145	ivy
15 023 152	bisque
15 023 159	cool grey
15 023 153	dark brown
15 023 134	claret
15 023 155	moonstone
15 023 138	sky blue
15 023 140	dark blue
15 023 141	turquoise
15 023 147	ivory
15 023 144	sage
15 023 121	indigo
15 023 122	rose quartz
15 023 123	mint
15 023 126	pistachio

Sheets (50x65 cm, packing unit 25 sheets)

Ref. No.	Colour
15 011 473	sand
15 011 495	ochre
15 011 493	nearl
15 011 463	hlack
15 011 497	orange
15 011 469	red
15 011 479	dark grey
15 011 471	ivy
15 011 490	bisque
15 011 483	cool grey
15 011 491	dark brown
15 011 485	claret
15 011 498	moonstone
15 011 468	sky blue
15 011 470	dark blue
15 011 484	turquoise
15 011 482	ivory
15 011 486	sage
15 011 451	indigo
15 011 452	rose quartz
15 011 453	mint
15 011 456	pistachio

Sheets (70x100 cm, packing unit 10 sheets)

Ref. No.	Colour
15 011 561	white
15 011 572	canary
15 011 565	cream
15 011 581	sap green
15 011 564	oyster
15 011 573	sand
15 011 595	ochre
15 011 593	pearl

Sheets (70x100 cm, packing unit 10 sheets)

Ref. No.	Colour
15 011 563	black
15 011 569	red
15 011 579	dark grey
15 011 583	cool grey
15 011 591	dark brown
15 011 570	dark blue
15 011 582	ivory



he Hahnemühle range for oil and acrylic painting offers papers with a fine linen texture, as well as qualities possessing a more natural paper character. Multi-layered viscous colour applications and thinly layered transparent colour applications are possible on the different qualities with optimum results.

Oil and Acrylic

Artist papers

Oil and Acrylic

Oil and Acrylic Painting Paper









Blocks (Content 10 sheets)

Ref. No.	Size in cm
10 628 301	18 x 24
10 628 302	24 x 32
10 628 303	30 x 40
10 628 304	36 x 48

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
11 627 410	50 x 65

230 gsm

A special paper with linen finish. Feels like painting on canvas. The colours do not bleed but retain their high luminosity, no halo effect.

Blocks (Content 10 sheets)

Ref. No.	Size in cm	8
10 628 831	18 x 24	
10 628 832	24 x 32	
10 628 835	30 x 40	
10 628 837	36 x 48	

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
11 627 160	50 x 65
11 627 161	75 x 100

230 gsm

This high-quality oil/acrylic paint board is natural white and is made of 100% cellulose. The board is internally sized and has a special barrier layer to prevent bleeding and a halo effect. This quality is perfect for beginners, advanced painters and professional artists. The board possesses the natural linen structure of a genuine canvas guaranteeing the excellent results to be expected from oil and acrylic painting, as well as from oil pastel painting. Acid free and age resistant.

Oil and Acrylic Painting Paper





Blocks (Content 20 sheets)

 Ref. No.
 Size in cm

 10 628 130
 24 x 32

 10 628 131
 30 x 40

 10 628 132
 36 x 48

Pack (Packing unit 50 sheets)

Ref. No.	Size in cm
10 650 130	24 x 32
10 650 131	30 x 40
10 650 132	36 x 48

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
10 627 130	50 x 65

Acryl 330 gsm is a white paper with a slightly linen texture and elegant satin finish. Multi-layered colour applications show optimum results on this special paper. The colours stay perfect and shine brillantly. The paper remains smooth even without wet pre-treatment or stretching. This artist paper is acid free and age resistant.



Blocks (Content 20 sheets)

Ref. No.	Size in cm
10 628 140	24 x 32
10 628 141	30 x 40
10 628 142	36 x 48
10 628 144	42 x 56
10 628 143	50 x 64

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
11 627 095	50 x 65
10 627 096	100 x 70

A natural paper specially designed for acrylic painting, it is acid free and age resistant. It has a light felt finish that absorbs the colour and enables multi-layered viscous colour applications with optimum results. The natural white acrylic paint board – made of 100% pulp – is free of optical brighteners and therefore does not adulterate the vibrancy of the colours. This acrylic paint board is ideal for glazing and painting techniques similar to watercolours. It reflects the brilliance of the colours naturally.



Acrylic Painting Paper




Blocks (Content 10 sheets)

Size in cm
24 x 32
30 x 40
36 x 48
42 x 56
50 x 64

Sheets (Packing unit 10 sheets)

Ref. No.	Size in cm
10 627 313	50 x 65






60 gsm

The PE (Polyethylene)-coated paper in our palette pad is ideal for mixing oil and acrylic paints. It provides a strong barrier against oil and moisture.

Each sheet can be torn off easily from the disposable pad and the next clean coated paper is ready for use.

Block (Content 30 sheets)

Ref. No.	Size in cm
10 628 310	24 x 35





Mounting Boards & Printmaking Papers
Graphic Design

Mounting, Printmaking and Graphic Design

Classical Printing Methods – Hahnemühle Printmaking Papers

The high-quality Hahnemühle mould-made printmaking paper for traditional artistic printing techniques is produced in our mill on the cylinder mould paper machine. The single sheets have 4 genuine deckled edges (* 3 genuine deckled edges and 1 cut edge). With its matt, velvety soft and finely structured surface, this Hahnemühle mould-made paper is ideally suited for analogue artistic gravure, offset and flat printing processes. It is also very suitable for new digital printing technologies that do not require a coating on the paper - such as UV, Latex and Resin printing. It has a high volume and is characterised by its particular flexibility. All paper grades are made from exquisite raw materials, and are highly resistant to aging, acid-free and vegan.

BB = short grain · SB = long grain

Mould-made Printmaking Paper for traditional artistic printing techniques, offset and uncoated/treated digital printing processes

Sheets (matt/smooth, bright white, pack. unit 10 sheets)

Ref. No.	Size in cm approx.	Grammage
10 627 506	56 x 78 SB	300 gsm

with watermark "Rooster" and 4 genuine deckled edges

Sheets (matt/smooth, white, pack. unit 10 sheets)


Ref. No.	Size in cm approx.	Grammage
10 627 562*	53 x 78 SB	150 gsm
10 627 563*	53 x 78 SB	230 gsm
10 627 502	106 x 78 BB	230 gsm
10 627 564*	53 x 78 SB	300 gsm
10 627 504	106 x 78 BB	300 gsm
10 627 566*	53 x 78 SB	350 gsm

^{*} content 25 sheets, with watermark "Rooster" or "Hahnemühle"

Sheets 100% cotton rag (matt/smooth, bright white, pack. unit 10 sheets)

Ref. No.	Size in cm approx.	Grammage
10 627 757*	56 x 78 SB	300 gsm
10 627 758	106 x 78 BB	300 gsm

* content 25 sheets, with watermark "Rooster" 10 627 758 with watermark "Hahnemühle" and "Rooster





$Sheets~(\hbox{pack.\,unit\,100\,sheets, Watermarks\,``Rooster''}~\hbox{and\,``Hahnem\"uhle''})$

Ref. No.	Surface	Size in cm	Grammage
10 105 734	white - matt/smooth	approx. 78 x <u>106</u>	150 gsm
10 105 738	white - matt/smooth	approx. 78 x <u>106</u>	230 gsm
10 105 760	white - matt/rigid	approx. 78 x <u>106</u>	230 gsm
10 105 748*	bright white - 100% cotton rag	approx. 78 x <u>106</u>	250 gsm
10 105 749*	bright white - 100% cotton rag	approx. 80,5 x <u>120</u>	250 gsm
10 105 735*	white - matt/smooth	approx. 78 x <u>106</u>	300 gsm
10 105 719*	white - matt/smooth	approx. 80,5 x <u>120</u>	300 gsm
10 105 737*	yellowish - matt/smooth	approx. 78 x <u>106</u>	300 gsm
10 105 752***	bright white - matt/smooth	approx. 78 x <u>106</u>	300 gsm
10 105 755*	bright white - 50% cotton rag	approx. 78 x <u>106</u>	300 gsm
10 105 761*	white - matt/rigid	approx. 78 x <u>106</u>	300 gsm
10 105 765*	antik - matt/smooth	approx. 78 x <u>106</u>	300 gsm
10 105 722*	bright white - matt/rigid	approx. 80,5 x <u>120</u>	300 gsm
10 105 805*, **	white	approx. 78 x <u>106</u>	300 gsm
10 105 758*	bright white - 100% cotton rag	approx. 78 x <u>106</u>	300 gsm
10 105 759*	bright white - 100%cotton rag	approx. 80,5 x <u>120</u>	300 gsm
10 105 740*	white - matt/smooth	approx. 78 x <u>106</u>	350 gsm
10 105 728*	bright white - matt/rigid	approx. 80,5 x <u>120</u>	350 gsm

Sheets (packing unit 100 sheets, Watermark "Rooster")

Ref. No.	Surface	Size in cm	Grammage
10 105 747	bright white - 100% cotton rag	approx. <u>56</u> x 78	250 gsm
10 105 729	bright white - matt/smooth	approx. <u>50</u> x 65	300 gsm
10 105 718	white - matt/smooth	approx. <u>56</u> x 78	300 gsm
10 105 745	bright white - matt/smooth	approx. <u>56</u> x 78	300 gsm
10 105 721	bright white - matt/rigid	approx. <u>56</u> x 78	300 gsm
10 105 800**	white	approx. <u>56</u> x 78	300 gsm
10 105 757	bright white - 100%cotton rag	approx. <u>56</u> x 78	300 gsm
10 105 746	bright white - matt/smooth	approx. <u>56</u> x 78	350 gsm

^{* 50} sheets

Rolls (matt/rigid, packing unit 1 Roll)

Ref. No.	Surface	Size in cm	Grammage
10 105 797	white	approx. 124 cm x 20 m	350 gsm
10 105 798	white	approx. 124 cm x 50 m	350 gsm
10 105 794	bright white	approx. 124 cm x 20 m	350 gsm
10 105 795	bright white	approx. 124 cm x 50 m	350 gsm

^{** 2} splashed/2 trimmed edges, without Watermark

^{*** 50} sheets, without Watermark



HAHNEMÜHLE 1584





The Hahnemühle mounting boards produced on a fourdrinier machine are used mainly for framing art exhibits. The mounting board is also used as the base for the Hahnemühle multi-laminate museum boards. Hahnemühle mounting boards are also suitable for the most diverse applications in printing and drawing techniques. Hahnemühle mounting boards are acid free and age resistant in compliance with DIN 6738 and ISO 9706. BB = short grain · SB = long grain

Sheets (content 25 sheets)

Ref. No.	Size in cm	Colour	Grammage
10 627 315	50 x 70 SB	bright white	300 gsm
10 627 316	50 x 70 SB	natural white	300 gsm
10 627 301	100 x 70 BB	bright white	300 gsm
10 627 302	100 x 70 BB	natural white	300 gsm
10 120 915**	70 x <u>100</u> cm	bright white	300 gsm
10 120 986*	<u>100</u> x 140 cm	bright white	300 gsm
10 120 914**	70 x <u>100</u> cm	natural white	300 gsm
10 120 961**	<u>100</u> x 140 cm	natural white	300 gsm
10 120 916**	70 x <u>100</u> cm	ivory	300 gsm
10 120 920**	70 x <u>100</u> cm	light grey	300 gsm
10 120 921*	70 x <u>100</u> cm	bright white	400 gsm
10 120 981*	<u>100</u> x 140 cm	bright white	400 gsm
10 120 922*	70 x <u>100</u> cm	natural white	400 gsm
10 120 971*	<u>100</u> x 140 cm	natural white	400 gsm


* content 50 Sheets, ** content 100 Sheets

Grafik Design Illustration BRISTOL BOARD

Suitable for pencil, Indian ink, pen, fineliner, airbrush and acrylic marker. Bright white, smooth surface, high opacity. Resistant to erasure, exceptional cutting and printing properties.

Pads (Content 20 sheets, 250 gsm)

Ref. No.	Size
10 628 722	A4
10 628 723	A3



Smooth on both sides, lignin free, white, acid free, high age resistance, double sizing. For mounting boards, enclosures, post cards, stencils, price tags, for the sketch and drawing technique, etc.. Ideal for grooving and creasing. Qualities above 625 gsm are multilayered.

Sheets

Ref. No.	Size in cm	Content	Grammage
60 422 230	50 x 65	100 Sheets	310 gsm
60 422 280	100 x 65	100 Sheets	310 gsm
60 422 930	50 x 65	25 Sheets	910 gsm
60 422 980	100 x 65	25 Sheets	910 gsm











Manga Layout & Illustration is a light weight, white paper with a smooth surface. Even without a layout table, it can be easily used to trace. The colours do not spread out and will not bleed onto the next page of the pad. Manga Layout & Illustration Paper is available as an A4 pad containing 40 sheets.

Pad (Content 40 sheets)

tor Manga artists


Ref. No.	Size
10 628 580	A4

The spiral-bound Manga sketchbooks are ideal for scribbles or drawing a whole Manga storyline. These sketchbooks are available in a landscape A5 and A4 format each containing 75 sheets with a weight of 80 gsm.

Books (Content 75 sheets)

Ref. No.	Size	
10 628 585	A5	
10 628 586	A4	





Layout Pad

75 asm

Special paper for felt tipped pens and markers. Colour does not bleed. Acid free and age resistant.

Pads (Content 75 sheets)

Ref. No.	Size	
10 625 040	A4	
10 625 060	А3	
10 625 080	A2	







ARC T2

Transparent Sketching Paper

Rolls (Core Ø 31mm)

Ref. No.	Grammage	Size in m
10 620 002	40/45 gsm	0.33 x 20
10 620 003	40/45 gsm	0.33 x 50
10 620 005	40/45 gsm	0.64 x 20
10 620 009	24/25 gsm	0.33 x 50
10 620 010	24/25 gsm	0.33 x 100



ARC T2

Transparent Drawing Paper

Diamant Spezial Smooth

The micro-fine and hard surface of this highly transparent drawing paper Diamant Spezial ensures exact outlines and high-contrast drawings.

Suitable for all copiers, blue print or normal copies and micro films

Rolls (Core Ø 50mm)

Ref. No.	Grammage	Size in m
10 620 502	90/95 gsm	0.66 x 20
10 620 542	90/95 gsm	0.91 x 20
10 620 562	90/95 gsm	1.10 x 20
10 620 702	110/115 gsm	0.66 x 20
10 620 742	110/115 gsm	0.91 x 20



Highly Transparent Drawing Paper in Sheets

Diamant Spezial Smooth - replaces Diamant Copy

Application: Drawing (ink, indian ink, graphite, pencil), traditional printing techniques (letterpress, flat printing, screen printing), as well as inkjet and laser printing (preliminary tests are required).

Sheets

Ref. No.	Grammage	Size in cm	content	
10 621 501	90/95 gsm	21 x 29.7	250 sheets	
10 621 522	90/95 gsm	29.7 x 42	100 Sheets	
10 621 541	90/95 gsm	45 x 62.5	100 Sheets	
10 621 561	90/95 gsm	62.5 x 88	50 Sheets	
10 621 701	110/115 gsm	21 x 29.7	250 sheets	
10 621 722	110/115 gsm	29.7 x 42	100 Sheets	
10 621 741	110/115 gsm	45 x 62.5	100 Sheets	

TRACING PAPER PAD

Diamant Spezial Smooth

The micro-fine and hard surface of this highly transparent drawing paper Diamant Spezial ensures exact outlines and high-contrast drawings.

Suitable for all copiers, blue print or normal copies and micro films

Pads (Content 50 sheets)

Ref. No.	Grammage	Size
10 622 201	60/65 gsm	A4
10 622 221	60/65 gsm	A3
10 622 401	80/85 gsm	A4
10 622 421	80/85 gsm	A3
10 622 501	90/95 gsm	A4
10 622 521	90/95 gsm	A3
10 622 701	110/115 gsm	A4
10 622 721	110/115 gsm	A3

A4 Pads = glued on short side · A3 Pads = glued on long side







Fine White Drawing Paper, acid free, double sized, opaque, withstands repeated erasures. For technical and artistic drawings and for school use.

Sheets (Content 100, cold pressed)

Ref. No.	Grammage	Size in cm	
10 624 810	200 gsm	21 x 29.7	
10 624 811	200 gsm	29.7 x 42	
10 624 812	200 gsm	43 x 61	
10 624 813	200 gsm	61 x 86	
10 624 820	250 gsm	21 x 29.7	
10 624 821	250 gsm	29.7 x 42	
10 624 822	250 gsm	43 x 61	
10 624 823	250 gsm	61 x 86	

Rolls

Ref. No.	Grammage	Size in m
10 624 850	200 gsm	0.98 x 20
10 624 851	200 gsm	1.48 x 20





GRAPH PAPER(MILLIMETRE PAPER)

80/85 gsm

Graph paper with 1 mm divisions.

Pads (Content 50 sheets)

Ref. No.	Size	Colour	
10 662 561	A4	Red	
10 662 711	A3	Red	

PAD FOR STATICS

60 gsm

Translucent copy paper. With light blue 5 mm squares and black margin.

Pad (Content 50 sheets)

Ref. No.	Size	
10 644 122	A4	
•••••	· · · · · · · · · • · · · · · · · · · ·	

ISOMETRIC PAPER PAD

80/85 gsm

Drawing paper with a triangular coordinate grid for drawing objects in an isometric perspective.

Pads (Content 50 sheets)

Ref. No.	Size	
10 662 642	A4	
10 662 762	A3	

Stationery

FineArt

Hahnemühle Sketch & Notebooks

Hahnemühle Traditional Artist papers are produced according to old recipes using high-quality raw materials and pure spring water. Hahnemühle combines centuries of experience with modern innovation and artists inspiration since 1584.

With the introduction of the new Stationery line, Hahnemühle is consistently expanding its paper expertise into the field of writing culture. The notebooks are elegant companions in puristic designs, combined with fine details.

Sketch & Notebooks

Individual, elegant companions for perfect note-taking and sketching

1584 by Hahnemühle

1584 by Hahnemühle The elegant "1584 by Hahnemühle" notebook is available in the finest of colours: sea green, lilac and peach. With its attractive, feminine design it is the perfect note-taking companion.

Thanks to the three colour-coded bookmark ribbons it is easy to find your appointments and notes, and a rubber band helps keeping your thoughts, little notes and pictures safe inside the notebook.

With 200 pages, "1584 by Hahnemühle" offers enough space to make appointments and reminders in your own style that brings back a bygone moment and tames the chaos of everyday life. 160 white pages of the finest writing paper with a 40-sided

colour-coordinated core. The paper slides pleasantly through your fingers and is an absolute must for analogue font lovers.

The haptic, durable cover of the notebook with a precious embossing on the back does not only protect the content, but it also makes the book a piece of jewellery that you like to surround yourself with. In practical A5 format, it fits in any handbag so that thoughts and memories can be captured at any time.









100 sheets / 200 pages:

- 40 sheets of dotted white writing paper, 90 gsm
- 20 sheets of coloured writing paper, 100 gsm
- 40 sheets of dotted white writing paper, 90 gsm
- 3 coloured ribbon bookmark







10625008

10625009

10625010

1584 by Hahnemühle (100 sheets / 200 pages)

Ref. No.	Size	Colour
10 625 008	A5	sea green
10 625 009	A5	lilac
10 625 010	A5	peach
10 625 010	A5	peach

DiaryFlex

The individual notebook



DiaryFlex, the individual notebook by Hahnemühle that features interchangeable and replaceable content inserts. Several varieties of inserts including plain, ruled and dotted are available. No matter if used as a sketchbook or a notebook:

The 160 pages offer enough room for all of your thoughts and ideas. The natural white 100 gsm paper is perfectly suited for fountain pens, pens, fine-liners or pencils. The cover is classically exclusive and robust at the same time and also protects the contents of DiaryFlex perfectly. Even when you've filled your DiaryFlex with creative thoughts and ideas there is no need to say farewell. You can fill again and again with the various replacement booklets on offer. Just pull the note booklet out of the cover and replace with either a plain, ruled or dotted pack.

DiaryFlex 100 gsm (Content 80 sheets / 160 pages)

Ref. No.	Conten	t	Size
10 628 630		Book plain	19 x 11.5 cm
10 628 670		Refill plain	18.2 x 10.4 cm
10 628 631		Book ruled	19 x 11.5 cm
10 628 671		Refill ruled	18.2 x 10.4 cm
10 628 632		Book dotted	19 x 11.5 cm
10 628 672		Refill dotted	18.2 x 10.4 cm

DiaryFlex Display

Ref. No.	Size (W \times D \times H)
10 628 633	39x19x37 cm

Display is filled with 5 books each of the DiaryFlex plain, ruled and dotted and 6 refills each of the plain, ruled and dotted. There are 33 products in total!



Sketch Diary



Sketch and Notebook 120 gsm

Drawings and thoughts belong together. With this handy sketch diary, you can now visualize your personal impressions and thoughts in words and pictures. These diaries are a perfect companion for everyday life, as well as for journeys, meetings, and so on. The left hand pages are ruled for personal notes and pages on the right are blank. This way you can easily create your drawing of memories and ideas with pencil, charcoal, red ochre, crayon or coloured pens on the right page, opposite to your notes and key words. The handy sketch diary is spiral bound and easy to use when laid flat.

Each sketch diary comes with a pocket in the back for little pieces of remembrance, souvenirs, notes or small items. Also provided: Two labels to personalise the cover. That way, each book of the three possible sizes A6, A5 and A4 will become your unique sketch diary.

Books (Content 60 sheets / 120 pages)

Ref. No.	Size
10 628 753	A6
10 628 754	A5
10 628 755	A4



Hahnemühle Originals

DESIGN MEETS UNIQUENESS

Luxury writing instruments for the finest paper

Inspired by the pattern of the cylindrical mould on our 19th-century paper machine, our exclusive writing instruments feature a guilloché surface. This decorative patterning on the palladium-nickel alloy adds a touch of sophistication to our fountain pens, rollerballs and ballpoint pens, while evoking the moulds used by our papermakers. All our pens are produced in limited quantities and are a top-notch addition to the writing paper in our Hahnemühle notebooks.

Experience the perfect pairing of pen and paper! Every pen glides over the smooth paper, its ink sitting on the surface with richness and precision. Every page in your Hahnemühle notebook is a revelation when you write with, say, our fountain pens kitted out with rhodium-plated 18-carat gold nibs.

Treat yourself to a luxury writing experience: see for yourself how time slows down as your thoughts flow onto the page and you can focus on what really counts!

HAPTICS MEET CONNOISSEURS

Notebooks for people who love writing

Our expertise lies in crafting the finest writing paper and certificate paper, adorned with a cockerel watermark. Since our paper mill was founded in 1584, we have kept a resolute focus on developing the range established by our founder, Merten Spieß. We have created papers for the arts (including the art of writing) for centuries, and continue to do so in the present day.

Painters, graphic artists, illustrators, printers, photographers, advertisers, archivists, book-binders, art students, schoolchildren, scientists, engineers and laboratory technicians all use Hahnemühle papers. For all of them, paper is an indispensable tool for their work, a tool that they justifiably expect to meet the highest demands.

Our Hahnemühle FineNotes notebooks see us offer you an exquisite companion that appeals to all your senses: the finest creamy off-white Hahnemühle watermarked paper, enclosed between exquisite covers that protect your utterly personal entries – for a writing experience that both looks and feels stunning.



Digital FineArt Collection

"Turning Images into Art"


The Digital FineArt Collection is a comprehensive assortment of high-quality, unique FineArt inkjet papers created for customers who are looking for something special and want to get the best out of their images. Achieving outstanding printing results and a high age resistance of over 100 years, the FineArt inkjet papers meet the highest standards for fine art applications and are perfect for long-term exhibitions, art collections and special editions.

To comply with these requirements, high-quality and ultra-pure artist papers are used as a paper basis. Specially I manufactured natural wool felts give the artist papers their unique surface texture, providing a three-dimensionality that enhances the image effect thanks to an incredible depth. The heavy FineArt papers, which are based on cotton or alpha cellulose obtain a high grammage, distinctive paper thickness, and special tactile feel that increase their sense of value. A premium inkjet coating, which results in an impressive reproduction of colour and detail, incredible contrasts and deep blacks, round off this luxurious high-end assortment of individual FineArt inkjet papers.



Hahnemühle Photo

The Quality Choice For Everyday Printing



All Hahnemühle Photo media are relatively thin and feature a smooth, barely textured surface, making them easy to print on and process. Nevertheless, the printing quality is convincing and delivers the best results in daily printing. With an age resistance of up to 30 years, the papers are perfect for all applications where the highest museum-level quality is not required.

www.hahnemuehle.com

Digital FineArt Collection

"Turning Images into Art"

The Digital FineArt Collection is a comprehensive assortment of high-quality, unique FineArt inkjet papers created for customers who are looking for something special and want to get the best out of their images.

Hahnemühle Photo The Quality Choice For Everyday Printing

Hahnemühle Photo is a compact basic assortment comprising of six high-quality inkjet media paper. Regardless of whether you choose basic fine art, classic photo paper or canvas – Hahnemühle Photo has the right product to meet any need, and is ideal for printing photos, posters and photo books.

Applica High-qu FineArt

FineArt InkJet Pap

High-quality FineArt Inkjet papers for FineArt application, FineArt prints, FineArt books and albums, longterm exhibitions, editions, art collections and art reproductions

Paper base

Heavy, high-volume artist papers with a cotton or -cellulose paper base and a clearly visible and distinct surface texture providing an unique tactile feel

Coating

Premium inkjet coating especially designed to fulfil the high-end FineArt demands for an excellent reproduction of colour and detail, impressive contrasts and deep blacks

Longevity

100 years or more, acid and lignin-free, buffered with calcium carbonate, ISO 9706 conform, fulfils museum and gallery standards

Application

Basic inkjet papers for daily printing like photographs, poster prints, photo books and exhibitions with limited duration

Paper base

Low-weight cellulose papers or resin-coated substrate materials with a very light (or none at all) surface texture

Coating

High-quality inkjet coating especially designed for photo application which results in brillant colours, high contrasts and deep blacks

Longevity

Up to 30 years, acid and lignin-free





DISPLAYS, SAMPLES AND

CUPBOARDS















Sample Sheets

Ref. No. 10 603 998	Size in cm 16 x 2 x 23	Description Display to fill with sample sheets (without content)	Pack. unit 1 display	protective charge in € - net 1.30 / display
	10 / 2 / 20	Display to fill with real tiple sheets (without content)	ι αισριαγ	1.50 7 display
Natural Line	10 00	A		0.05 / D
10 603 480	16 x 23	Agave Watercolour 290 gsm	20 sheets	3,25 / Pack.
10 603 481	16 x 23	Hemp Sketch 80 gsm	20 sheets	3,25 / Pack.
10 603 248	16 x 23	Bamboo Mixed Media 265 gsm	20 sheets	3,25 / Pack.
10 603 250	16 x 23	Bamboo Sketch 105 gsm	20 sheets	3,25 / Pack.
The Collection	on			
10 603 420	16 x 23	Watercolour 300 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 421	16 x 23	Watercolour 300 gsm, rough	20 sheets	3,25 / Pack.
10 603 422	16 x 23	Watercolour 300 gsm, hot pressed	20 sheets	3,25 / Pack.
10 603 423	16 x 23	Watercolour 640 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 424	16 x 23	Watercolour 640 gsm, rough	20 sheets	3,25 / Pack.
10 603 425	16 x 23	Watercolour 640 gsm, hot pressed	20 sheets	3,25 / Pack.
10 603 426	16 x 23	Ingres Pastel 100 gsm	20 sheets	3,25 / Pack.
10 603 427	16 x 23	Sketch 140 gsm	20 sheets	3,25 / Pack.
Mould-made	Watercolour	rnaners		
10 603 150	16 x 23	Hahnemühle 200 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 151	16 x 23	Hahnemühle 200 gsm, rough	20 sheets	3,25 / Pack.
10 603 131	16 x 23	Hahnemühle 300 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 129			20 sheets	
	16 x 23	Hahnemühle 300 gsm, rough		3,25 / Pack.
10 603 158	16 x 23	Turner 300 gsm	20 sheets	3,25 / Pack.
Watercolour	Papers and E	Boards		
10 603 132	16 x 23	D'Aqua 220 gsm	20 sheets	3,25 / Pack.
10 603 146	16 x 23	Burgund 250 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 147	16 x 23	Burgund 250 gsm, rough	20 sheets	3,25 / Pack.
10 603 100	16 x 23	Torchon 275 gsm	20 sheets	3,25 / Pack.
10 603 237	16 x 23	Britannia 300 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 238	16 x 23	Britannia 300 gsm, rough	20 sheets	3,25 / Pack.
10 603 264	16 x 23	Britannia 300 gsm, hot pressed	20 sheets	3,25 / Pack.
10 603 244	16 x 23	Veneto 325 gsm, front rough, reverse cold pressed	20 sheets	3,25 / Pack.
10 603 234				
	16 x 23	Cornwall 450 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 235	16 x 23	Cornwall 450 gsm, rough	20 sheets	3,25 / Pack.
10 603 245	16 x 23	Andalucía 500 gsm, front rough, reverse cold pressed	20 sheets	3,25 / Pack.
Harmony & E	xpression W	atercolour		
10 603 290	16 x 23	Harmony 300 gsm, cold pressed	20 sheets	3,25 / Pack.
10 603 291	16 x 23	Harmony 300 gsm, rough	20 sheets	3,25 / Pack.
10 603 292	16 x 23	Harmony 300 gsm, hot pressed	20 sheets	3,25 / Pack.
10 603 293	16 x 23	Expression 300 gsm, cold pressed	20 sheets	3,25 / Pack.
Asian Paintin	a Technique			
10 603 241	16 x 23	Sumi-e 80 gsm	20 sheets	3,25 / Pack.
		Carrie C CC gerri	20 0110010	6,20 /
Sketch Pape		T - 100	00.1	0.05 / 5
10 603 156	16 x 23	Tradition 100 gsm	20 sheets	3,25 / Pack.
10 603 239	16 x 23	Dessin 150 gsm	20 sheets	3,25 / Pack.
10 603 236	16 x 23	Sketch Paper Quattro 170 gsm	20 sheets	3,25 / Pack.
10 603 240	16 x 23	Nostalgie 190 gsm	20 sheets	3,25 / Pack.
10 603 274	15 x 23	Bristol 250 gsm	20 sheets	3,25 / Pack.
Pastel Paper	S			
10 603 184	15 x 23	Pastel Velour 260 gsm	20 sheets	3,25 / Pack.
10 603 164	16 x 23		20 sheets	
10 003 249	10 X 23	Sketch/Pastel 130 gsm	20 SHEERS	3,25 / Pack.

Sample Sheets

Oil and Acrylic Paint Boards					
10 603 133	16 x 23	Oil 230 gsm	20 sheets	3,25 / Pack.	
10 603 136	16 x 23	Oil/Acrylic 230 gsm	20 sheets	3,25 / Pack.	
10 603 272	16 x 23	Acrylic 330 gsm	20 sheets	3,25 / Pack.	
10 603 154	16 x 23	Acrylic 360 gsm	20 sheets	3,25 / Pack.	
10 603 242	16 x 23	Acrylic 450 gsm	20 sheets	3,25 / Pack.	

		s – Mould-made Printmaking Paper for tradition and uncoated/treated digital printing processe		
10 603 660	16 x 23 cm	180 gsm, antique	5 Sheets	3,25 / Pack.
10 603 661	16 x 23 cm	230 gsm, white, smooth/matt	5 Sheets	3,25 / Pack.
10 603 662	16 x 23 cm	250 gsm, bright white, 100% Cotton	5 Sheets	3,25 / Pack.
10 603 663	15 x 23 cm	300 gsm, bright white, smooth/matt	5 Sheets	3,25 / Pack.
10 603 664	16 x 23 cm	300 gsm, yellowish, smooth/matt	5 Sheets	3,25 / Pack.
10 603 665	16 x 23 cm	300 gsm, bright white, smooth/matt	5 Sheets	3,25 / Pack.
10 603 666	16 x 23 cm	300 gsm, bright white, 50% Cotton	5 Sheets	3,25 / Pack.
10 603 667	16 x 23 cm	300 gsm, white, rigid/matt	5 Sheets	3,25 / Pack.
10 603 668	16 x 23 cm	300 gsm, antique, smooth/matt	5 Sheets	3,25 / Pack.
10 603 669	16 x 23 cm	300 gsm, bright white, rigid/matt	5 Sheets	3,25 / Pack.
10 603 670	16 x 23 cm	300 gsm, bright white, 100% Cotton	5 Sheets	3,25 / Pack.
10 603 671	15 x 23 cm	350 gsm, white, rigid/smooth	5 Sheets	3,25 / Pack.
10 603 672	15 x 23 cm	350 gsm, bright white, rigid/smooth	5 Sheets	3,25 / Pack.
Hahnemühle 1584 – Ideal for woodcut and silkscreen, offset and uncoated/treated digital printing processes				
10 603 673	16 x 23 cm	300 gsm, 100% Cotton, unsized, smooth	5 Sheets	3,25 / Pack.





Samples

Ref. No.	Size in cm	description	Packing unit	protective charge in € - net
10 603 260	11.4 x 24	Artist Papers Sample Book	1 piece	6,50 / pieces

Pouches

Ref. No.	Size in cm	description	Packing unit	protective charge in € - net
10 603 500	27.5 x 80	Pouch, blocked for sheets	50 pieces	16.00 / pack.

Hahnemühle Display

Our two displays made of wood and acrylic elements offer you an attractive product presentation at eye level. The space-saving table display offers 3 presentation shelves for products in A6, A5 and A4. The stand display has 5 shelves, 2 presentation areas for A6, 2 for A5 and one for A4 formats. An extra compartment serves as additional storage space and offers space for formats up to A4. Due to mounted rolls, the display can be easily moved.

Table display · 4-sided

Product	Ref. No.	Size	Units
D&S Mini	10628329	A6	8
Dalca Cleatab Dalak	10628287	A5	4
Deko Sketch Book	10628288	A4	4
	10628870	A6, red	8
Sketch & Note	10628871	A5, red	8
	10628872	A4, red	8
Bamboo Carnet de Voyage	10628549	153x250 mm	4
Bamboo Sketch Book	10628565	A5	6
Barriboo Skelcri Book	10628566	A4	6
Nostalgie Sketch Book	10628693	A5, landscape	6
Lland Lattering	10628990	A5	15
Hand Lettering	10628991	A4	15
1x table display	10629004	for Free	



Dimension: 33 x 33 x 86,5 cm (W x D x H), Transport dimension: 93 x 51 x 65 cm (W x D x H), Weight: 17.6 kg

Floor display · 4-sided

Product	Ref. No.	Size	Units
	10628690	A6, portrait	6
	10628691	A6, landscape	6
Nostalgie Sketch Book	10628692	A5, portrait	6
	10628693	A5, landscape	6
	10628694	A4, portrait	6
Sketch & Note	10628890	A6 (grey/pink)	8
Skeich & Noie	10628880	A6 (blue/green)	8
Chatala Diam.	10628753	A6	4
Sketch Diary	10628754	A5	4
The Cray Dools	10628681	A5	8
The Grey Book	10628682	A4	8
	10628813	A6, portrait	6
	10628810	A6, landscape	6
Watercolour Book	10628814	A5, portrait	6
	10628811	A5, landscape	6
	10628812	A4, landscape	6
Sketch Book 120	10628352	A5	4
Skeich Book 120	10628353	A4	4
Watercolour postcard metal box	10650000	10.5 x 14.8 cm	3
Kraft papar	10628790	A5, booklet	3
Kraft paper	10628780	A5, book	4
1x floor display	10629005	for free	



Dimension: 45 x 45 x 162 cm (W x D x H), Transport dimension: 56 x 56 x 169 cm (W x D x H) + DU Palette (80 x 60 cm), Weight: 24.0 kg







Counter Display

Made of acryl glass

Ref. No.	Size in cm	Packing unit	net price in €
10 629 003	3-stepped Display 49 x 31 x 35 (unfilled)	1 Display	68.00 / Display


Easel-Display

3-side plated Easel with each 4 shelfs – unfilled.

Ref. No.	Size in cm	Packing unit	net price in €
10 629 104	approx. height 177 cm · width 80 cm · depth 70 cm	1 easel	135.00 / easel

128 *sample filling

Merchandising



Hahnemühle Calendar 2023 "Colours of the Earth" 10 603 020



Peppermint Dispenser 10 608 832



Foldback Clip, red 10 608 833



Bone Folder 10 608 839 made of bamboo



Transparent Cover A4 10 608 859



Writing Pad A4 Hahnemühle 10 608 838



Thermo Can

with Hahnemühle Logo

10 608 844



Writing Case, napa leather 10 608 840 With zipper and embossing. Contains Hahnemühle ballpoint pen and Hahnemühle writing pad.

Multitool

10 608 857





Linen Tester with scale 10 608 841 in black case



Women Polo shirt, red, XS-XXL 10 608 860*

Men Polo shirt, red, XS-XXL 10 608 861*



Hahnemühle Cap, black 10 608 855



Hahnemühle Foldable Water Cup 10 608 856

10 608 836



Hahnemühle Paper Bag black



Hahnemühle Carrying Bag red 10 603 451 / 10 603 453 In two different sizes





◆ Hahnemühle Paper Bag 10 603 454

Medical face mask

Made in Germany, 98% efficiency



Hahnemühle Lanyards 10 608 842 black / grey



FFP2 Mask - Filtering half mask Made in Germany, 98% efficiency

10 608 835







Deco Card Set for Poster Display 10 608 854



Acrylic Cube for 1 pen 10 608 849



Acrylic Pen Holder for 1 pen 10 608 850



Hahnemühle Mada in Garmany

Acrylic Pen Holder for 2 pens 10 608 851



Sample Pad FineNotes, premium writing paper with watermarks 10 608 853

ref.no.	description		pack. unit	barcode
10603451	Hahnemühle Carrying Bag red	52 x 40 x 10 cm, textile	25 Piece	4011367097844
10603453	Hahnemühle Carrying Bag red	40 x 40 x 10 cm, textile	25 Piece	4011367110963
10603454	Hahnemühle Paper Bag white	54 x 45 x 15 cm	25 Piece	4011367107741
18309920	Hahnemühle Paper Bag black	24 x 9 x 20.5cm, silver hot-foil embossing	20 Piece	4011367115685
10608832	Hahnemühle Peppermint Dispenser	8 x 5 cm, sugar free	1 Piece	4011367103279
10608842	Hahnemühle Lanyard	black/grey	1Piece	4011367112714
10608855	Hahnemühle Cap black	with logo embroidery, 100% cotton	1 Piece	4011367115883
10608848	Hahnemühle Porcelain Cup	diameter: 10 cm, white	1 Piece	4011367114640
10608844	Hahnemühle Thermo Can WMF	350 ml	1 Piece	4011367112875
10608840	Hahnemühle Writing Case with zipper, black	A4, Napa leather	1 Piece	4011367112523
10608838	Hahnemühle Writing Pad, dotted	A4,50 sheets	10 Piece	4011367112493
10608859	Hahnemühle Transparent Cover DIN A4	PP foil, 150 µm grained, pack. unit: 100	100 Piece	4011367117894
10608833	Hahnemühle Foldback Clips red	width: 32 mm	48 Piece	4011367108533
10608836	Hahnemühle Glass Jar (availability upon request)	diameter: 18 cm, height: 25 cm	1 Piece	4011367112615
10608839	Hahnemühle Bone Folder made of bamboo	length: 15.5 cm	1 Piece	4011367112127
10608856	Hahnemühle Foldable Water Cup	red, silicone, lid with logo	1 Piece	4011367115937
10608835	Hahnemühle Painting Apron black	approx. 88 x 67 cm	1 Piece	4011367110314
55645030	Hahnemühle Gloves	12 pairs, Nylon, white, size 8	12 Piece	4011367112622
10608858	Hahnemühle Gloves	2 pairs, Nylon, white, size 8	2 Piece	4011367118044
10608857	Multitool, with Hahnemühle print 2/0	L/H/W: 10x1,6x3,2 cm, with 6 bits	1 Piece	4011367118129
10608841	Hahnemühle Linen Tester with scale (6x magnification)	with black case	1 Piece	4011367112547
10608860XS	Women's Polo shirt, XS, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118884
10608860S	Women's Polo shirt, S, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118891
10608860M	Women's Polo shirt, M, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118907
10608860L	Women's Polo shirt, L, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118914
10608860XL	Women's Polo shirt, XL, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118921
10608860XXL	Women's Polo shirt, XXL, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118938
10608861XS	Men's Polo shirt, XS, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118945
10608861S	Men's Polo shirt, S, red	with Hahnemühle embriodery, 100% cotton	1 Piece	4011367118952
10608861M	Men's Polo shirt, M, red	with Hahnemühle embriodery, 100% cotton	1Piece	4011367118969
10608861L	Men's Polo shirt, L, red	with Hahnemühle embriodery, 100% cotton	1Piece	4011367118976
10608861XL	Men's Polo shirt, XL, red	with Hahnemühle embriodery, 100% cotton	1Piece	4011367118983
10608861XXL	Men's Polo shirt, XXL, red	with Hahnemühle embriodery, 100% cotton	1Piece	4011367118990
52522710	FFP2 Mask - Filtering half mask	made in Germany, 98% efficiency	25 Piece	4011367115791
52522711	Medical face mask	made in Germany, 98% efficiency	50 Piece	4011367116521
10603020	Hahnemühle Calendar 2023 "Colours of the Earth"	45 x 60 cm, landscape size	1Piece	4011367104269

Stationery

ref.no.	description		pack.unit	barcode
10608849	Acrylic Cube for 1 pen	40 x 40 x 40 mm	1 Piece	4011367114671
10608850	Acrylic Pen Holder for 1 pen	40 x 70 x 70 mm	1 Piece	4011367114688
10608851	Acrylic Pen Holder for 2 pens	40 x 70 x 70 mm	1 Piece	4011367114695
10608852	Poster Display (Deco Card Set not included!)	A5, portrait size	1 Piece	4011367114763
10608853	$Sample \ Pad \ Fine Notes, premium \ writing \ paper \ with \ watermarks$	A5, landscape size, 25 sheets	2 Piece	4011367114954
10608847	Acrylic Bookstand	80 x 137 x 180 mm	1 Piece	4011367114626
10608854	Deco Card Set for Poster Display	1x promotional poster for each Edition	1Piece	4011367115197

Hahnemühle

Hahnemühle FineArt GmbH · Hahnestraße 5 · 37586 Dassel

Persons to contact

President / CEO

Jan Wölfle

Phone: +49 55 61 / 791-237 Fax: +49 55 61 / 791-377 Jan.Woelfle@hahnemuehle.com

Vice President & General Manager

Henrik Bernander
Phone: +65 6955 7758

Henrik.Bernander@hahnemuehle.com

Export Sales Southern Europe, Latin America

Luciana Leite

Phone: +49 55 61 / 791-325 Fax: +49 55 61 / 791-71235 Luciana.Leite@hahnemuehle.com

Northern Europe

Garry Simm

Phone: +44 7813 138707 Fax: +44 1603 757915

Garry.Simm@hahnemuehle.com

Asia-Pacific

Henrik Bernander Phone: +65 6955 7758

Henrik.Bernander@hahnemuehle.com

Eastern Europe, Baltic Countries, Malta, Cyprus, Greece, Middle East, Africa

Michael Tritschler

Phone: +49 55 61 / 791-222 Fax: +49 55 61 / 791-71222

Michael.Tritschler@hahnemuehle.com

Sales Representatives / Agents

Belgium

Gérard Maillet

Phone: +33 153 25 04 90 Mobile: +33 625 95 73 39

contact.moulinducoq@hahnemuehle.com

Bosnia-Herzegovina, Bulgaria, Croatia, Hungary, Macedonia, Romania, Slovenia and Slovakia

Rudolf Szálasi

Phone: +36 87 544 040, Fax: +36 87 544 041

rudolf.szalasi@t-email.hu

Netherlands

Bart Wanrooy

Phone: +31 3 34 94 82 48 Mobile: +31 6 53 35 76 62 bart@wanrooy.nl

Norway

Trevor van Eck Phone: +47 9115 01 96 tve@onpaper.no

Spain, Portugal

Heloart S.L.

Phone: +34 952 66 38 34 Fax: +34 952 66 38 35 heloart@heloart.net

Russia, Ukraine

Heloart S.L.

Phone: +34 952 66 38 34 Fax: +34 952 66 38 35 heloart@heloart.net

Extract from our sales and delivery conditions

We deliver:

Europe:

minimum order value over 500.00 EUR
 ex works (EXW)
 free German border

further conditions have to be agreed separately.

Worldwide:

• minimum order value over 500.00 EUR ex works (EXW)

• order value over 1,500.00 EUR free German seaport (FOB) / free German airport (FCA)

• further conditions have to be agreed separately.

- Postal parcels are despatched from Dassel, Germany.
- · Conditions according to Incoterms 2010.

Storage of papers

Paper is sensitive and has to be stored protected from every kind of humidity: best at a temperature of +20 °C and a relative humidity of 50 %. In case of non-observance we cannot take over a guarantee for the maintenance of an impeccable condition.

Packing units

We ask for consideration of the stated packing units. Delivery of incomplete packing units is not possible.

Transport damages

We are not liable for transport and hidden damages, but railway, forwarding agency, German parcel services or post as carrier.

Please note the following items:

- Examine incoming packing pieces outward thoroughly
 For damage assessment inform immediately the goods station
 within 7 days at the latest, the forwarding agency or German parcel service
 within 3 days at the latest, the postal office within 24 hours at the latest.
- · Leave goods and packing unchanged till damage assessment.
- Take photos if possible.

Should you do not assert your claims by yourself we need for adjustment of damages:

- factual statement,
- original way-bill,
- a transfer declaration given by you.

Subsidiaries

United Kingdom

Hahnemühle UK Ltd.

Suite 5, St. Mary's Court Carleton Forehoe GB-Norwich NR9 4AL

Phone +44 845 3300 129/+44 1603 759266

Uksales@hahnemuehle.com www.hahnemuehle.co.uk

France

Hahnemühle France / Moulin du Coq Sarl

41, Rue de la Chaussée d'Antin

F-75009 Paris Phone +331532

Phone +33 1 53 25 04 90 Fax +33 1 53 25 04 91

Contact.MoulinduCoq@hahnemuehle.com

USA

Hahnemühle USA Inc.

380 North Terra Cotta Road, Suite K USA-Crystal Lake, IL 60012

Phone +1 815 502-5880 Fax +1 815 502-5879 Usasales@hahnemuehle.com

China

Hahnemühle China Co. Ltd.

Shanghai Branch Office Room 515, No.69, Lane.1333, Xinlong Road Minhang District, Shanghai China 201101

Phone +86(21)64790326 Fax: +86(21)64790327 contact@hahnemuehle.com.cn

Asia-Pacific

Hahnemühle Asia Pacific Pte Ltd. 18 Robinson Road #16-01 Singapore 048547 Phone +65 6955 7758

henrik.bernander@hahnemuehle.com

DIN-sizes

Sheet sizes DIN 476	Trimmed drawing shee	Trimmed drawing sheet and trimmed blueprint sheet		Untrimmed sheet (Basic sheet for the
Row A	in mm	Imperial approx		one-off print)
Α0	841 x 1189 mm	33.1x46.8 in.	831x1179 mm	880x1230 mm
A1	594x841 mm	23.4x33.1 in.	584×831 mm	625x880 mm
A 2	420x594 mm	16.5 x 23.4 in.	410 x 584 mm	450x625 mm
A 3+	329 x 483 mm	13 x 19 in.		
А3	297 x 420 mm	11.7 x 16.5 in.	287 x 410 mm	330x450 mm
A 4	210 x 297 mm	8.3 x 11.7 in.	200x287 mm	240x330 mm
А5	148x210 mm	5.8 x 8.3 in.	138×200 mm	165x240 mm
A 6	105 x 148 mm	4.1x5.8 in.		

Be inspired ...









Hahnemühle Artist Papers



Hahnemühle

Terms of Delivery and Sale

Terms of Delivery and Sale

Version: July 202:

1. Scope and Formation of Contract

1.1. The following terms and conditions apply to all deliveries and services which we perform in the capacity of a Seller or Supplier. They apply exclusively towards entrepreneurs, legal persons under public law or a special fund under public law in the meaning of Section 310 (Content 1) of the German Civil Code [BGB]. These terms and conditions apply exclusively. Deviations from the subsequent terms and conditions as well as terms and conditions that conflict with them apply only if we expressly acknowledged this in writing. These terms and conditions apply equally to all future business transactions between the Parties even if we deliver the goods in the knowledge of conflicting or divergent terms and conditions.

Parties even if we deliver the goods in the knowledge of conflicting or divergent terms and conditions.

1.2. As the individual case may be, individual agreements entered into with the Customer (including subsidiary agreements, supplements and amendments) shall in any case take priority over these terms and conditions. The substance of such agreements is contingent upon a written contract and/or our written confirmation. Legally relevant declarations and notifications which the Customer shall submit to us following the formation of the contract (e.g. deadlines, notifications of defects, declarations of rescission, etc.) must be stipulated in writing to become effective.

1.3. Our offers are subject to confirmation and non-binding. This applies even if we provide catalogues, technical documentation, miscellaneous product descriptions or documents (Documents) – even in electronic form – to the Customer. We reserve the unlimited title and copyright to these Documents. They shall be made accessible to third parties only following our prior approval. If the contract is not awarded to us, all Documents shall be immediately returned to us at our request. This applies equally to documents of the Customer. However, such documents may be made accessible to those third parties to whom we are permitted to assign deliveries or services.

1.4. Orders placed by the Customer are deemed binding contract offers. Unless they stipulate otherwise, we are entitled to accept these within 14 working days as from the date of reception (in writing or by delivery of the goods).

2. Prices

2.1. Our prices apply according to the respectively applicable price list and/or our offer ex works and exclude freight charges, the cost of packaging, postage, insurance as well as other shipping costs unless expressly agreed otherwise. The applicable value added tax is payable in addition to the calculated price.

2.2. We charge packaging at cost. The packaging becomes the Customer's property; we shall not accept any returned packaging. Extra charges for express deliveries are for the Customer, as are charges for measurement caroo.

2.3. Extra charges which we incur as a result of late changes to the order will be invoiced to the Customer

 $2.4. \, \text{Sketches, drafts, trial prints, samples and similar preparatory work for printing orders which the Customer initiates will be invoiced even if the contract is not awarded.}$

2.5. If the agreed delivery date is more than four months after conclusion of the contract and if, after conclusion of the contract, cost increases have occurred with regard to the pro-currement and/or production of goods (including, without being limited to, energy, transport or raw material costs), for example due to force majeure within the meaning of Clause 9 of these terms and conditions or due to other events (e.g. due to operational disruptions of any kind, difficulties in procuring supplies, raw materials or energy, transport delays, strikes, lawful lockouts, shortages of labour, energy or raw materials, difficulties in procuring the necessary official permits, measures instigated by the author-ities or the non-delivery, incorrect delivery or late delivery by suppliers) which existed at the time of the conclusion of the contract but for which we are not responsible, we shall be entitled to unilaterally increase the agreed price by a maximum of 10% using equitable discretion. If the aforementioned event is not only of temporary duration (more than 10 days) and/or the price increase is more than 10%, Seller shall be entitled to withdraw from the contract or to renegotiate the terms of the contract. In this respect, the provisions of Clause 9 of these terms and conditions shall apply.

3. Terms of Payment

3.1. Payment is due in full within 30 calendar days after the invoice date.

3.2. The Customer shall bear the transport costs ex warehouse as well as the cost of any transport insurance which the Customer requests, plus any possible customs duties, fees and taxes as well as other public dues for sale-by-dispatch orders (Item 5.1).

3.3. Bills of exchange shall only be accepted by virtue of a special agreement and on account of payment without extending any discount. Discounting and charges are for the Customer. They are payable by the Customer immediately after being invoiced. When accepting bills of exchange we shall not be liable for the timely submission, protesting, notification and return of the bills of exchange unless we or our vicarious agents are guilty of wilful intent or gross negligence.

3.4. Customised orders or the provision of exceptional products or any other advance performance may be subject to a payment in advance.

3.5. All cash and non-cash payments made relative to accounts payable must be effected in Euro.
3.6. The Customer is only entitled to offset against claims if its counterclaims are undisputed or have been established as final and absolute. The Customer is only entitled to assert rights of retention in relation to counterclaims pertaining to the same legal relationship. In the case of defects to the goods the Customer's reciprocal rights pursuant to Item 7.6. Sentence 2 of these terms and conditions remain unaffected.

4. Default of Payment

4.1. If the fulfilment of the payment claim is jeopardised by virtue of a deterioration of the Customer's financial situation which occurred or became known following the formation of the contract, we may demand advance payment and the immediate settlement of all outstanding invoices, withhold goods that have not yet been delivered and cease working on ongoing orders. Moreover, we are entitled to rescind the contract (Section 321 BGB), poss. after setting a deadline. For contracts specifying customised orders we may declare our rescission with immediate effect; the statutory regulations pertaining to the dispensability of setting a deadline remain unaffected. We are even entitled to these rights if the Customer, in spite of a reminder issued due to a default (insofar as this is required), did not effect a payment.
4.2. In the case of a default of payment (expiration of the payment deadline pursuant to Item 4.1), interest for default is payable at the statutory rate. This does not exclude the assertion of any further default damages nor the entitlement to commercial interest payable after the due date pursuant to Section 353 of the German Commercial Code [HGB].

5. Delivery and Acceptance

5.1. Goods are delivered ex works which also constitutes the place of fulfilment. At the Customer's request and cost, the goods will be dispatched to an alternative destination ("Sale by Dispatch"). Unless agreed otherwise, we have the right to autonomously determine the type of transport (especially the transport company, dispatch route, packaging). When shipping the goods, the risk of accidental loss and of accidental deterioration of the goods passes to the Customer at the time of dispatch.

5.2. Delivery dates are only binding if we expressly confirmed them. Otherwise, details pertaining to delivery periods or delivery deadlines take on the meaning of information. However, the delivery time does not commence before the Customer procured the necessary records, permits and approvals or prior to receiving an agreed down payment. A delay in delivery does not justify a claim for a contractual penalty. Statutory regulations shall determine when our delay in delivery has occurred, unless these terms and conditions stipulate otherwise. However, in any case a reminder by the Customer is required.
5.3. If we do not deliver by a binding delivery deadline the Customer shall grant us an appropriate extension. An extension need not be granted in the event of special circumstances which, after taking into

consideration both parties' mutual interests, justify the immediate rescission of the contract. 5.4. If we are unable to comply with binding delivery periods for reasons for which we cannot be held responsible ("Unavailability of Performance"), we shall immediately notify the Customer accordingly and at the same time shall inform the Customer of the presumed new delivery period. If the performance remains unavailable even within the new delivery period, we are entitled to rescind the contract either in full or partially; we shall immediately reimburse any consideration already rendered by the Customer. The Unavailability of Performance in this meaning applies especially to the late self-delivery by our suppliers; if we concluded a matching covering transaction; if neither we nor the supplier are at fault or; as the individual case may be, if we are under no procurement obligation.

5.5. If the Customer does not accept goods supplied under the contract, we have the right to store the goods at the expense of the Customer and, following the unsuccessful expiration of a two-week period by which the goods are to be accepted, we may rescind the contract and demand compensation for damages.

5.6. We are not obligated to take back goods that are free from defects. If, however, we declare ourselves willing to take back goods that are free from defects, we are at liberty to invoice extra charges for the inspection, reservation or the like, based on the degree of work involved. Customised productions – subject to the regulations under Item 7. – are exempt from a return. If goods that are free from defects are taken back, the risk of accidental loss or accidental deterioration of the delivery item rests with the Customer.

6. Reservation of Title

6.1. We reserve the title to the supplied goods until all our claims against the Customer resulting from the business connection, including any and all future claims arising from contracts that were also formed at the same time or at a later point in time, have been settled. This applies even if individual or all claims of ours have been included in a current account which has been balanced and approved.

6.2. In the event of conduct contrary to the terms and conditions of the contract, especially in the event of a payment default, we are entitled to take back the goods, and the Customer is obligated to hand said goods over to us. Our taking back the goods can only be construed as a rescission of the contract if we expressly declare this in writing. If the Customer does not pay the due purchase price we may only assert these rights if we previously granted an adequate deadline for payment to the Customer which expired without success or if this can be dispensed with pursuant to the statutory regulations. The goods under reservation of title shall neither be pledged to third parties nor be transferred as security until the secured claims have been paid in full. The Customer shall immediately inform us in writing if and to the extent that third parties exercise any rights to the goods that are our property. In the event of attachments or other action by third parties the Customer shall inform us in writing and shall forward to us an attachment record as well as an affidavit pertaining to the identity of the attached item.

6.3. The Customer is entitled to resell and/or process the goods during the ordinary course of business. In this case, the following conditions apply:

(a) The reservation of title covers the full value of the products resulting from the processing, mixing or combination of our goods, with us being deemed to be the manufacturer. If in the event of processing, mixing or combining with third party goods their title remains in effect, we acquire co-ownership in relation of the goods' invoice value to the processed, mixed or combined goods. In other respects the same applies to the resulting product as to the goods supplied under a reservation of title.

(b) The buyer shall already as per today assign to us any claims resulting from reselling the goods or from the product against third parties in their entirety or in the amount of our potential co-ownership share pursuant to the above paragraph (a) as security. We accept such assignment. The buyer's obligations named under Item 6.2. apply also to such assigned claims.

(c) The buyer shall remain authorised to collect the claims in addition to us. We shall undertake not to collect the claim provided that the buyer fulfils its payment obligations towards us; does not default payments; does not file for the instigation of insolvency proceedings; and no other deficiency in its performance capacity applies. However, if this is not the case we may demand that the buyer names the assigned claims and their debtors to us; provides us with all the necessary details required for a collection; hands us the respective documents; and informs the debtors (third parties) of such assignment. (d) If the realisable value of the securities exceeds our claims by more than 10%, we shall release securities at the government of the purer of the purer

7. Customer's Claims for Defects

7.1. The Customer's rights in relation to defects in quality and title (including wrong delivery and short delivery) are governed by statutory regulations unless stipulated otherwise in the following. Special legal requirements pertaining to the final delivery of the goods to a consumer remain unaffected in any case (recourse against suppliers pursuant to Sections 478, 479 BGB).

7.2. The basis of our liability for defects is primarily the agreement pertaining to the quality of the goods. An agreement pertaining to the quality of the goods includes any and all product descriptions which constitute the subject matter of the individual contract, regardless as to whether the product description originates from the Customer. from the manufacturer or from us.

7.3. In the absence of any agreed quality, it is for the statutory regulations to assess whether a defect applies or not. We do not assume any liability for public statements on behalf of the manufacturer or of other third parties (e.g. advertisements). 7.4. The Customer's claims for defects require that the Customer fufilled its legal duty to examine and obligation to give notice of defects (Sections 377,381 HGB). We shall be immediately notified in writing of any defect that is detected during the examination or later. Such notification is deemed to have been given immediately if made within two weeks after having received the goods, whereby the timely posting of the notification suffices to comply with the deadline. Regardless of this duty to examine and obligation to give notice of defects the Customer shall indicate in writing any visible defects (including wrong delivery and short delivery) within two weeks of having received the goods whereby here, too, the timely posting of the notification suffices to comply with the deadline. If the Customer fails to properly examine and/or submit a notification of defect, our liability is excluded for such defect of which we were not notified.

7.5. If the delivered item is defective we may initially choose whether to remedy the defect (subsequent improvement) or deliver a non-defective item (replacement delivery). Our right to refuse any supplementary performance under the legal requirements remains unaffected.

7.6. We have the right to make the owed subsequent performance contingent upon the Customer paying the due purchasing price. However, the Customer is entitled to withhold such share of the purchase price which is appropriate in relation to the defect.

7.7. The Customer shall grant us the necessary time and opportunity required to fulfil the owed subsequent performance and in particular shall hand the rejected goods to us for the purpose of inspection. In the event of a substitute delivery the Customer shall return to us the defective item pursuant to statutory regulations. The subsequent performance consists neither of dismantling the defective item nor of its renewed installation, unless we were originally obligated to perform the installation.

7.8. We shall bear the necessary expenses required for the inspection and subsequent performance, especially the cost of transport, shipping, work and material (not included: cost of dismantling and installation) if indeed, a defect applies. However, should the Customer's request for a remedy of defect prove unjustified, we may demand that the Customer refund the costs resulting from this to us.

7.9. If the subsequent performance failed or the time limit established by the Customer for the subsequent fulfilment expired without success or can be dispensed with according to statutory regulations, the Customer may rescind the contract or reduce the purchase price. However, the right to rescind the contract does not apply to cases of minor defects.

7.10. The Customer's claims for compensation and/or for the replacement of futile expenses exist only subject to Item 8 and are excluded in other respects.

8. Other Liability

8.1. If nothing to the contrary emerges from these terms and conditions including the subsequent provisions, we shall be liable in the case of a breach of contractual and non-contractual obligations pursuant to the relevant statutory regulations.

8.2. We are liable to compensate for damages in the case of intent and gross negligence, regardless of the legal grounds. In cases of simple negligence we are only liable

a) for damage resulting from harm to life, body or health;

b) for damage resulting from the breach of a material contractual obligation (obligation whose fulfilment facilitates the proper performance of the contract sine qua non, compliance with which the contractual party regularly relies upon and may rely upon); in this case, however, our liability is limited to replacing the typically foreseeable damage that may occur.

8.3. The limitations of liability resulting from Item 8.2. do not apply to the extent that we fraudulently concealed a defect or warranted a property of the goods. The same applies to claims of the Customer under the Product Liability Act.

8.4. The Customer may only rescind or terminate the contract for a breach of obligation which does not consist of a defect, if we are liable for the breach of obligation. A free right of termination on behalf of the Customer is exempt (especially pursuant to Sections 651, 649 BGB). In other respects the statutory requirements and legal consequences apply accordingly.

9. Force Majeure

9.1 The parties shall not be liable for damage or for the partial or complete non-fulfilment of obligations under this contract if the respective damage or non-fulfilment is due to a cir-cumstance which could not be foreseen at the time of the conclusion of the contract and the parties and their vicarious agents cannot prevent these consequences or remedy them by reasonable measures ("Force Majeure").
9.2 In any event, Force Majeure shall be deemed to exist in the event of hostilities (irrespec-tive of the fact as to whether or not war has been declared), riots, explosions, outbreaks of fire, flooding, earth-quakes, typhoons, epidemics, shortages of raw materials, energy and supplies, difficulties in procuring raw materials, supplies or energy and/or labour dis-putes as a result of which business operations are wholly or mainly disrupted, as well as in the event of acts, omissions or governmental measures or in complying with govern-mental requests and in the event of the disruption of operating facilities or parts thereof which serve to fulfil obligations under this contract.

9.3 In the event of the occurrence of Force Majeure, the Parties shall notify each other thereof without undue delay and shall provide information within 10 days, in particular as to the extent and, as far as reasonably possible, the expected duration of the Force Majeure event. In addition, the affected party shall use its best efforts to remedy the Force Majeure event or to limit its impact on this Agreement as far as possible.

9.4 Should the event of force majeure last longer than 3 weeks or should this be expected, the contracting parties shall jointly agree on the further course of action. If the event of force majeure is not temporary for the contracting party concerned, i.e. lasts for more than 6 weeks, and prevents it from fulfilling its contractual obligations, and if it is unrea-sonable for the Buyer to wait, the Buyer shall be entitled to terminate and withdraw from this contract in writing without observing a notice period.

9.5 If Seller's production costs for the owed product (including, yet without limitation, energy, transport and/or raw material costs) increase for reasons of the Force Majeure event persisting (more than 10 days) or if circumstances which existed at the time of the con-clusion of the contract but which have changed in other respects so that Seller cannot reasonably be expected to fulfil one or more of Seller's obligations, Seller may, by written notice to Buyer, request an adjustment of the contract in order to

contract if production costs increase by more than 10% and/or there are difficulties in the procure-ment of supplies, raw materials or energy and/or there are transport delays and/or there are shortages of labour, energy or raw materials and/or there are difficulties in obtaining necessary official permits and/or there are non-deliveries, incorrect deliveries or late de-liveries by suppliers; provided that the aforementioned difficulties are expected to last for more than 10 days. If the parties are unable to agree on how to amend the contract within 10 days of Seller's offer to amend the contract, Seller may withdraw from the contract by qiving 5 days' written notice to Buyer.

10. Documents and Tools, Insurance, Third Party Rights

10.1. Master copies, drawings, raw materials, print substrates and other items suitable for reuse such as semi-finished and finished products which the Customer provided to us shall be collected by the Customer upon delivery; alternatively, at the Customer's request, we shall return these to the Customer at the Customer's expense. They will only be stored beyond the delivery date following prior arrangement and in return for a special consideration.

10.2. The items described above will be handled with care until the date of delivery. We shall only be held liable for damage in the case of intent or gross negligence.

10.3. If the items described above shall be insured, the Customer shall autonomously arrange for them to be insured.

10.4. Devices, tools and other master copies which are necessary to perform the contract and which we developed and manufactured remain our property even if proportionate costs were invoiced for this. 10.5. The Customer alone is responsible for ensuring that the performance of its contract does not infringe upon any third party rights, and here in particular copyrights, trademark rights, patents or registered designs. The Customer shall release us from all third party claims for the violation of such rights upon first demand.

11. Statutory Limitation

11.1. By way of derogation from Section 438 (Content 1) no. 3 BGB the general limitation period for claims resulting from defects in quality and title is one year as from delivery. To the extent that an acceptance as been agreed, the statutory limitation commences upon acceptance.

11.2. The aforementioned limitation periods under commercial law apply equally to contractual and non-contractual claims for damages of the Customer which are due to a defect of the goods unless application of the ordinary statutory limitation period (Sections 195, 199 BGB) would, as the individual case may be, lead to a shorter limitation period. In any case, the limitation periods under the Product Liability Act remain unaffected. In other respects the Customer's claims for damages pursuant to Item 8 fall exclusively under the statutory limitation periods.

12. Imprint, Jurisdiction

12.1. We may refer to the name of our company in an appropriate form on the products that are the subject of the contract. The Customer may only withhold its consent if it has an overriding interest in this. 12.2. If the Customer is a fully-qualified merchant, a legal person under public law or a special fund under public law, the Einbeck local court or the Göttingen regional court, depending on the substantive competence, shall have exclusive jurisdiction for all disputes arising between the Parties, including any and all proceedings related to bills of exchange and deeds. The same jurisdictions apply if the Customer does not have a general place of jurisdiction in Germany, moves its residence or general place of abode after entering into the agreement abroad, or the Customer's residence or general place of abode is unknown at the time the complaint is being filed.

13. Miscellaneous

13.1. The law of the Federal Republic of Germany applies excluding international uniform law, and here in particular the UN Sales Convention. The requirements and effects of the reservation of title pursuant to Item 6 are subject to such law as is applicable at the respective storage location of the goods provided that under said law, a choice of law made in favour of German law is not permitted or is void. 13.2. We are authorised within the scope of business relationships, to process personal information that has been entrusted to us within the scope of our mission, i.e. to store, to transfer, to modify and to erase

such information.

13.3. The potential ineffectiveness of one or several provisions within these terms and conditions does not affect the validity of the remaining provisions.

Ref. No.	case lot	EAN-Code	ARC	Page
10 102 251		4011367022518	R1	20
10 102 253		4011367022532	R1	20
10 102 256		4011367022563	R1	20
10 102 258		4011367022587	R1	20
10 102 275		4011367022754	R1	19
10 102 277		4011367105105	R1	19
10 102 278		4011367105112	R1	19
10 102 283		4011367022839	R1	23
10 102 287		4011367022877	R1	23
10 102 291		4011367022914	R1	23
10 102 293		4011367022938	R1	23
10 105 100		4011367106256	R6	9
10 105 101		4011367106263	R6	9
10 105 105		4011367106270	R6	9
10 105 718		4011367057183	R6	95
10 105 718		4011367057190	R6	9!
10 105 719		4011367057190	R6	9:
				_
10 105 722		4011367057220	R6	9:
10 105 728		4011367057282	R6	9:
10 105 729		4011367057299	R6	9:
10 105 734		4011367057343	R6	9:
10 105 735		4011367057350	R6	9:
10 105 737		4011367057374	R6	9:
10 105 738		4011367057381	R6	9:
10 105 740		4011367057404	R6	98
10 105 745		4011367057459	R6	9:
10 105 746		4011367057466	R6	9:
10 105 747		4011367105914	R6	9:
10 105 748		4011367105921	R6	9:
10 105 749		4011367105938	R6	9:
10 105 752		4011367057527	R6	9:
10 105 755		4011367057558	R6	95
10 105 757		4011367057572	R6	9:
10 105 758		4011367057589	R6	9:
10 105 759		4011367057596	R6	9:
10 105 760		4011367101374	R6	9:
10 105 760		4011367057619	R6	9:
10 105 765		4011367057657	R6	9:
10 105 794		4011367057947	R6	9:
10 105 795		4011367057954	R6	9:
10 105 797		4011367057978	R6	9:
10 105 798		4011367057985	R6	95
10 105 800		4011367102791	R6	9:
10 105 805		4011367102807	R6	9:
10 120 914		4011367209148	R6	98
10 120 915		4011367209155	R6	98
10 120 916		4011367209162	R6	98
10 120 918		4011367209186	R6	98
10 120 920		4011367209209	R6	98
10 120 921		4011367209216	R6	98
10 120 922		4011367209223	R6	98
10 120 938		4011367209384	R6	98
10 120 961		4011367209612	R6	98
10 120 971		4011367209711	R6	98
10 120 981		4011367209810	R6	98
10 120 986		4011367209865	R6	98
10 140 801		4011367105747	R3	
10 140 810		4011367101398	R2	3
10 140 815		4011367105334	R2	3
10 140 920		4011367105297	R2	3

Ref. No.	case lot	EAN-Code	ARC	Page
10 140 921		4011367105303	R2	33
10 140 925		4011367105310	R2	38
10 140 926		4011367105327	R2	38
10 140 952		4011367105273	R2	35
10 140 958		4011367105280	R2	35
10 140 963		4011367409630	R2	35
10 140 967		4011367409678	R2	35
10 140 968		4011367105259	R2	35
10 140 969		4011367105266	R2	35
10 140 992		4011367105242	R2	28
10 140 993		4011367409944	R2	28
10 140 995		4011367409951	R2	28
10 140 997		4011367409975	R2	28
10 140 998		4011367409982	R2	28
10 140 999		4011367409999	R2	28
10 603 020		4011367104269	-	133
10 603 074			R2	8
10 603 074		4011367030742 4011367097844	174	133
			+ -	_
10 603 453	1	4011367110963	-	133
10 603 454		4011367107741	-	133
10 608 832		4011367103279	-	133
10 608 833		4011367108533	-	133
10 608 835		4011367110314	-	133
10 608 836		4011367112615	-	133
10 608 837		4011367112080	-	133
10 608 838		4011367112493	-	133
10 608 839		4011367122127	-	133
10 608 840		4011367112523	-	133
10 608 841		4011367112547	-	133
10 608 842		4011367112714	-	133
10 608 843		4011367112776	-	133
10 608 844		4011367112875	-	133
10 608 845		4011367113124	-	133
10 608 846		4011367113445	-	133
10 608 849		4011367114671	-	133
10 608 850		4011367114688	-	133
10 608 851		4011367114695	-	133
10 608 852		4011367114763	-	133
10 608 853		4011367114954	-	133
10 608 854		4011367115197	-	133
10 608 856		4011367115937	-	133
10 620 002		4011367200022	T2	104
10 620 003		4011367200039	T2	104
10 620 005		4011367200053	T2	104
10 620 009		4011367200091	T2	104
10 620 010		4011367200107	T2	104
10 620 502		4011367205027	T1	104
10 620 542		4011367205423		104
10 620 542		4011367205621	T1	104
10 620 702		4011367207021	T1	104
10 620 702		4011367207427	T1	104
10 620 742		4011367207427	T1	104
		4011367215019	T1	105
10 621 522			T1	105
10 621 541		4011367215415		
10 621 561		4011367215613	T1	105
10 621 701		4011367217013	T1	105
10 621 722		4011367217228	T1	105
10 621 741		4011367217419	T1	105
10 622 201		4011367222017	T1	106

Ref. No.	case lot	EAN-Code	ARC	Page	Ref. N
10 622 401		4011367224011	T1	106	10 625
10 622 421		4011367224219	T1	106	10 625
10 622 501		4011367225018	T1	106	10 625
10 622 521		4011367225216	T1	106	10 625
10 622 701		4011367227012	T1	106	10 625
10 622 721		4011367227210	T1	106	10 625
10 624 810		4011367087449	R3	61, 107	10 625
10 624 811		4011367087456	R3	61, 107	10 625
10 624 812		4011367087463	R3	61, 107	10 625
10 624 813		4011367087470	R3	61, 107	10 625
10 624 820		4011367087487	R3	61, 107	10 625
10 624 821		4011367087494	R3	61, 107	10 625
10 624 822		4011367087500	R3	61, 107	10 625
10 624 823		4011367087517	R3	61, 107	10 625
10 624 850		4011367087524	R3	61, 107	10 625
10 624 851	100	4011367087531	R3	61, 107	10 625
10 625 000	160	4011367108892	R2	43	10 625
10 625 001	80	4011367108908	R2	43	10 625
10 625 002	120	4011367108915	R2	43	10 625
10 625 005	800	4011367108922	R2	43	10 625
10 625 008		4011367109462	R3	113	10 625
10 625 009		4011367109479	R3	113	10 625
10 625 010		4011367109486	R3	113	10 625
10 625 040		4011367250409	R7	101	10 625
10 625 060		4011367250607	R7	101	10 625
10 625 080		4011367250805 4011367111724	R5	101	10 625
10 625 121		4011367111724	R5	14	10 625
10 625 121		4011367111748	R5	14	10 625
10 625 123		4011367111755	R5	14	10 625
10 625 124		4011367111762	R5	14	10 625
10 625 125		4011367111779	R5	14	10 625
10 625 120		4011367111540	R1	12	10 625
10 625 131		4011367111557	R1	12	10 627
10 625 132		4011367111564	R1	12	10 627
10 625 140		4011367111571	R1	12	10 627
10 625 141		4011367111588	R1	12	10 627
10 625 142		4011367111595	R1	12	10 627
10 625 150		4011367111601	R1	12	10 627
10 625 151		4011367111618	R1	12	10 627
10 625 152		4011367111625	R1	12	10 627
10 625 160		4011367111786	R3	15	10 627
10 625 161		4011367111793	R3	15	10 627
10 625 162		4011367111809	R3	15	10 627
10 625 163		4011367111816	R3	15	10 627
10 625 170		4011367111830	R2	41	10 627
10 625 171		4011367111847	R2	41	10 627
10 625 172		4011367111854	R2	41	10 627
10 625 180		4011367111861	R2	41	10 627
10 625 181		4011367111878	R2	41	10 627
10 625 182		4011367111885	R2	41	10 627
10 625 230		4011367111632	R1	13	10 627
10 625 231		4011367111649	R1	13	10 627
10 625 232		4011367111656	R1	13	10 627
10 625 240		4011367111663	R1	13	10 627
10 625 240		4011367111670	R1	13	10 627
10 625 241		4011367111687	R1	13	10 627
10 625 242		4011367111694	R1	13	10 627
10 625 250		4011367111700	R1	13	10 627
10 020 201		7011007111700	R1	13	10 627

Ref. No.	case lot	EAN-Code	ARC	Page
	1		<u>'</u>	
10 625 300		4011367113872	R2	4
10 625 301		4011367113889	R2	4
10 625 302		4011367113896	R2	4
10 625 310		4011367113902	R2	4
10 625 311		4011367113919	R2	4
10 625 312		4011367113926	R2	4
10 625 320		4011367116033	R3	6
10 625 321		4011367116040	R3	6
10 625 322		4011367116057	R3	6
10 625 323		4011367116064	R3	6
10 625 324		4011367116071	R3	6
10 625 330		4011367116088	R3	6
10 625 331		4011367116095	R3	6
10 625 332		4011367116101	R3	6
10 625 333		4011367116118	R3	6
10 625 334		4011367116125	R3	6
10 625 354	96	4011367115951	R2	- 0
			_	
10 625 351	96	4011367115968	R2	
10 625 352	48	4011367115975	R2	
10 625 353	48	4011367115982	R2	
10 625 354	24	4011367115999	R2	
10 625 355	24	4011367116002	R2	
10 625 356	24	4011367116019	R2	
10 625 357	24	4011367116026	R2	
10 625 400		4011367114046	R2	
10 625 401		4011367114053	R2	
10 625 402		4011367114060	R2	
10 625 403		4011367114077	R2	
10 625 410		4011367114084	R2	
10 625 411		4011367114091	R2	
10 625 450		4011367114114	R3	
10 625 451		4011367114121	R3	
10 625 452		4011367114138	R3	
10 627 003	200	4011367270032	R2	2
10 627 005	150	4011367270056	R1	2
10 627 006	140	4011367270063	R1	2
10 627 011	110	4011367270117	R1	2
10 627 013	100	4011367270131	R1	2
10 627 042	80	4011367270421	R1	2
10 627 042	100		R1	
		4011367270445	_	2
10 627 045	80	4011367270452	R1	2
10 627 047	100	4011367270476	R1	2
10 627 060	80	4011367270605	R1	1
10 627 070	220	4011367270704	R1	4
10 627 096	80	4011367270964	R4	8
10 627 130	100	4011367098285	R4	8
10 627 140	60	4011367271404	R2	3
10 627 142	60	4011367271428	R2	3
10 627 145	60	4011367271459	R2	3
10 627 146	60	4011367271466	R2	3
10 627 150	80	4011367112141	R1	1
10 627 151	75	4011367112158	R1	1
10 627 152	80	4011367112172	R1	1
10 627 153	75	4011367112189	R1	1
10 627 154	100	4011367112202	R1	1
10 627 155	100	4011367112219	R1	1
10 627 164	50	4011367271640	R2	3
10 627 104	35	4011367112226	R1	1
10 627 171	35	4011367112233	R1	1

Ref. No.	case lot	EAN-Code	ARC	Page
	1			
10 627 180	90	4011367114107	R2	6
10 627 250	125	4011367112257	R5	14
10 627 251	125	4011367112264	R5	14
10 627 252	125	4011367112271	R5	14
10 627 253	125	4011367112288	R5	14
10 627 254	125	4011367112295	R5	14
10 627 255	125	4011367112301	R5	14
10 627 256	125	4011367112318	R5	14
10 627 257	125	4011367112325	R5	14
10 627 258	125	4011367112332	R5	14
10 627 259	125	4011367112349	R5	14
10 627 260	125	4011367112356	R5	14
10 627 261	125	4011367112363	R5	14
10 627 262	200	4011367112370	R5	14
10 627 300		4011367273002	R6	98
10 627 301	100	4011367273019	R6	98
10 627 302	100	4011367273026	R6	98
10 627 313	60	4011367273132	R4	90
10 627 315	100	4011367273156	R6	98
10 627 316	100	4011367273163	R6	98
10 627 502	120	4011367275020	R6	94
10 627 504	100	4011367275044	R6	94
10 627 506	90	4011367275068	R6	94
10 627 510	90	4011367106713	R9	24
10 627 511	100	4011367106720	R9	24
10 627 512	100	4011367106737	R9	24
10 627 513		4011367106744	R9	24
10 627 514		4011367106751	R9	24
10 627 562	150	4011367275624	R6	94
10 627 563	100	4011367275631	R6	94
10 627 564	100	4011367275648	R6	94
10 627 566	75	4011367275662	R6	94
10 627 601	60	4011367276010	R5	81
10 627 602	60	4011367276010	R5	81
10 627 603	60	4011367276034	R5	81
10 627 606	60	4011367276065	R5	81
10 627 607	60	4011367276072	R5 R5	81
		4011367276089		
10 627 609	60	4011367276096	R5	81
10 627 610	60	4011367276102	R5	81
10 627 640	100	4011367102968	R2	35
10 627 641	90	4011367102975	R2	35
10 627 666	90	4011367106928	R10	25
10 627 667	90	4011367106935	R10	25
10 627 757	75	4011367106126	R6	94
10 627 758	100	4011367106133	R6	94
10 627 810	90	4011367106768	R9	24
10 627 811	110	4011367106775	R9	24
10 627 812	1	4011367106782	R9	24
10 627 813		4011367106799	R9	24
10 627 814		4011367106805	R9	24
10 627 910	90	4011367106812	R9	24
10 627 911	120	4011367106829	R9	24
10 627 912		4011367106836	R9	24
10 627 913		4011367106843	R9	24
10 627 914		4011367106850	R9	24
10 628 000		4011367280000	R2	18
10 628 001		4011367280017	R2	18
10 628 002		4011367280024	R2	31
10 628 003		4011367280031	R2	31
10 628 004		4011367280048	R2	31

Ref. No.	case lot	EAN-Code	ARC	Page
10 628 005		4011367280055	R2	31
10 628 006		4011367280062	R1	21
10 628 009		4011367280093	R2	28
10 628 011		4011367280116	R2	28
10 628 019		4011367280192	R1	21
10 628 020		4011367280208	R1	21
10 628 021		4011367280215	R1	21
10 628 022		4011367280222	R1	21
10 628 024	+	4011367280246	R1	21
10 628 025		4011367280253	R1	21
10 628 027		4011367280233	R1	21
	+			
10 628 028	-	4011367280284	R1	21
10 628 030	-	4011367280307	R1	21
10 628 031		4011367280314	R1	21
10 628 040		4011367106386	R9	24
10 628 041		4011367106393	R9	24
10 628 042		4011367106409	R9	24
10 628 043		4011367106416	R9	24
10 628 044		4011367106461	R9	25
10 628 045		4011367106478	R9	25
10 628 046		4011367106485	R9	25
10 628 070		4011367106423	R9	25
10 628 071		4011367106430	R9	25
10 628 072		4011367106447	R9	25
10 628 073		4011367106454	R9	25
10 628 080		4011367280802	R2	31
10 628 081	+	4011367280819	R2	31
10 628 082		4011367280826	R2	31
10 628 083		4011367280833	R2	31
	+		R9	25
10 628 086		4011367106539		_
10 628 087		4011367106546	R9	25
10 628 088	1	4011367106553	R9	25
10 628 089	-	4011367106560	R9	25
10 628 090		4011367280901	R2	31
10 628 091		4011367280918	R2	31
10 628 092		4011367106645	R9	25
10 628 093		4011367106652	R9	25
10 628 094		4011367106669	R9	25
10 628 099		4011367106676	R9	25
10 628 110		4011367281106	R2	32
10 628 111		4011367281113	R2	32
10 628 112		4011367281120	R2	32
10 628 113		4011367281137	R2	32
10 628 114		4011367281144	R2	32
10 628 130		4011367098254	R4	88
10 628 131		4011367098261	R4	88
10 628 132	1	4011367098278	R4	88
10 628 135		4011367281359	R1	19
10 628 136	+	4011367281366	R1	19
		4011367281373		_
10 628 137	+		R1	19
10 628 140	-	4011367281403	R4	89
10 628 141		4011367281410	R4	89
10 628 142		4011367281427	R4	89
10 628 143	-	4011367281434	R4	89
10 628 144		4011367281441	R4	89
10 628 145		4011367281458	R1	23
10 628 146		4011367281465	R1	23
10 628 147		4011367281472	R1	23
10 628 148		4011367281489	R1	23
10 628 161		4011367281618	R1	23

Ref. No.	case lot	EAN-Code	ARC	Page
10 628 163		4011367281632	R1	23
10 628 164		4011367281649	R1	23
10 628 190		4011367281908	R3	54
10 628 191		4011367281915	R3	54
10 628 192		4011367281922	R3	54
10 628 193		4011367281939	R3	54
10 628 194		4011367281946	R3	54
10 628 200	10	4011367282004	R3	77
10 628 202		4011367282028	R3	53
10 628 203		4011367282035	R3	53
10 628 204		4011367282042	R3	53
10 628 207	40	4011367282073	R3	77
10 628 208	40	4011367282080	R3	77
10 628 209		4011367282097	R3	56
10 628 210		4011367282103	R3	56
10 628 211		4011367282110	R3	56
10 628 212		4011367282127	R3	56
10 628 213		4011367282134	R3	56
10 628 214	20	4011367282141	R3	77
10 628 215	20	4011367282158	R3	77
10 628 220		4011367282202	R3	56
10 628 225	60	4011367282257	R3	77
10 628 226	40	4011367282264	R3	77
10 628 227	20	4011367282271	R3	77
10 628 245		4011367282455	R3	52
10 628 246		4011367282462	R3	52
10 628 248		4011367282486	R3	52
10 628 249		4011367282493	R3	52
10 628 270	40	4011367282707	R3	77
10 628 271	40	4011367282714	R3	77
10 628 272	20	4011367282721	R3	77
10 628 273	20	4011367282738	R3	77
10 628 274	20	4011367282745	R3	77
10 628 287	20	4011367282875	R3	70
10 628 288		4011367282882	R3	70
10 628 292	40	4011367282929	R3	77
10 628 293	40	4011367282929	R3	77
10 628 294	20	4011367282943	R3	77
10 628 297 10 628 301	20	4011367282974	R3 R4	77
		4011367283018		86
10 628 302		4011367283025	R4	86
10 628 303		4011367283032	R4	86
10 628 304		4011367283049	R4	86
10 628 310		4011367283100	R4	91
10 628 313		4011367283131	R4	90
10 628 314		4011367283148	R4	90
10 628 315		4011367283155	R4	90
10 628 316		4011367283162	R4	90
10 628 317		4011367283179	R4	90
10 628 320		4011367283209	R3	55
10 628 321		4011367283216	R3	55
10 628 322		4011367283223	R3	55
10 628 323	80	4011367283230	R3	77
10 628 324	80	4011367283247	R3	77
10 628 329	200	4011367095581	R3	77
10 628 330		4011367283308	R2	35
10 628 331		4011367283315	R2	35
10 628 332		4011367283322	R2	35
	1	4011367283407	R2	29
10 628 340		1011007200107	_	

Ref. No.	case lot	EAN-Code	ARC	Page
10 628 343		4011367283438	R2	29
10 628 352	60	4011367283520	R3	73
10 628 353	30	4011367283537	R3	73
10 628 354	15	4011367283544	R3	73
10 628 370		4011367283704	R1	47
10 628 371		4011367283711	R1	47
10 628 380		4011367283803	R2	45
10 628 381		4011367283810	R2	45
10 628 390	80	4011367283902	R3	75
10 628 391	80	4011367283919	R3	75
10 628 392	60	4011367283926	R3	75
10 628 393	60	4011367283933	R3	75
10 628 394	160	4011367283940	R3	75
10 628 395	80	4011367283957	R3	75
10 628 399		4011367283995	R3	75
10 628 410		4011367284107	R2	36
10 628 411		4011367284114	R2	36
10 628 412		4011367284121	R2	36
10 628 413		4011367284138	R2	36
10 628 414		4011367284145	R2	36
10 628 415		4011367284152	R2	36
10 628 416		4011367284169	R2	36
10 628 417		4011367284176	R2	36
10 628 419		4011367284190	R2	36
10 628 420		4011367284206	R2	36
10 628 421		4011367284213	R2	36
10 628 501		4011367005030	R3	69
10 628 502		4011367005047	R3	69
10 628 503		4011367005054	R3	69
10 628 504		4011367285043	R2	33
10 628 505		4011367285050	R2	33
10 628 524		4011367285241	R2	38
10 628 525		4011367285258	R2	38
10 628 526		4011367285265	R2	38
10 628 527		4011367285272	R2	38
10 628 540		4011367285401	R2	8
10 628 541		4011367285418	R2	8
10 628 542		4011367285425	R2	8
10 628 543		4011367285432	R2	8
10 628 544		4011367285449	R5	80
10 628 545		4011367285456	R5	80
10 628 546		4011367285463	R5	80
10 628 547		4011367285470	R5	80
10 628 549		4011367017460	R2	8
10 628 560		4011367285609	R3	9
10 628 561		4011367285616	R3	9
10 628 562		4011367285623	R3	9
10 628 565		4011367004941	R3	9
10 628 566		4011367004958	R3	9
10 628 580		4011367285807	R7	100
10 628 585		4011367004965	R7	100
10 628 586		4011367004972	R7	100
10 628 601		4011367286019	R5	81
10 628 602		4011367286026	R5	81
10 628 603		4011367286033	R5	81
10 628 611		4011367286033	R5	81
10 628 612		4011367286125	R5	81
10 628 613		4011367286132	R5	81
10 628 630	40	4011367098636	R3	114
10 020 000	1 70	1 -011001030000	1 110	1114

Ref. No.	case lot	EAN-Code	ARC	Page
10 628 632	40	4011367098650	R3	114
10 628 633	40	4011367101640	R3	114
10 628 640		4011367102906	R2	35
10 628 641		4011367102913	R2	35
10 628 642		4011367102920	R2	35
10 628 643		4011367102937	R2	35
10 628 644		4011367102944	R2	35
10 628 645		4011367102951	R2	35
10 628 666		4011367106898	R10	25
10 628 667		4011367106904	R10	25
10 628 668		4011367106911	R10	25
10 628 670	60	4011367098667	R3	114
10 628 671	60	4011367098674	R3	114
10 628 672	60	4011367098681	R3	114
10 628 681	00	4011367102869	R3	67
10 628 682		4011367102876	R3	67
10 628 690		4011367101817	R3	68
10 628 691		4011367101824	R3	68
10 628 692		4011367101831	R3	68
10 628 693		4011367101848	R3	68
10 628 694		4011367101855	R3	68
10 628 695		4011367101862	R3	68
10 628 701		4011367287016	S1	60
10 628 701		4011367287018	S1	60
10 628 722		4011367103743	R7	99
10 628 723		4011367103750	R7	99
10 628 730		4011367088378	R3	+
10 628 731	100	4011367088385	R3	71
10 628 753	120	4011367097011	R3	115
10 628 754	60	4011367097028	R3	115
10 628 755	30	4011367097035	R3	115
10 628 760		4011367106607	R9	_
10 628 761		4011367106614	R9	24
10 628 762		4011367106621	R9	24
10 628 763		4011367106638	R9	24
10 628 764		4011367106683	R9	25
10 628 765		4011367106690	R9	25 25
10 628 766	00	4011367106706	R9	
10 628 780	60	4011367087661	R3	74
10 628 781	30	4011367087678	R3	74
10 628 790	200	4011367088132	R3	74
10 628 791	100	4011367088149	R3	74
10 628 810	96	4011367100421	R2	42
10 628 811	48	4011367100438	R2	42
10 628 812	24	4011367100445	R2	42
10 628 813	96	4011367102647	R2	42
10 628 814	48	4011367102654	R2	42
10 628 815		4011367118655	R2	42
10 628 816		4011367118662	R2	42
10 628 817		4011367118679	R2	42
10 628 831		4011367288310	R4	87
10 628 832	-	4011367288327	R4	87
10 628 835		4011367288358	R4	87
10 628 837		4011367288372	R4	87
10 628 840	-	4011367106492	R9	24
10 628 841		4011367106508	R9	24
10 628 842		4011367106515	R9	24
10 628 843		4011367106522	R9	24
10 628 844		4011367106577	R9	25
10 628 845		4011367106584	R9	25
10 628 846		4011367106591	R9	25

Ref. No.	case lot	EAN-Code	ARC	Page
10 628 870	200	4011367089733	R3	72
10 628 871	100	4011367089740	R3	72
10 628 872	50	4011367089757	R3	72
10 628 880	200	4011367089764	R3	72
10 628 881	100	4011367089771	R3	72
10 628 882	50	4011367089788	R3	72
10 628 890	200	4011367089795	R3	72
10 628 891	100	4011367089801	R3	72
10 628 892	50	4011367089818	R3	72
10 628 910		4011367289102	R3	61
10 628 911		4011367289119	R3	61
10 628 912		4011367289126	R3	61
10 628 970		4011367289706	R2	35
10 628 971		4011367289713	R2	35
10 628 972		4011367289720	R2	35
10 628 973		4011367289737	R2	35
10 628 974		4011367289744	R2	35
10 628 980		4011367289805	R2	35
10 628 981		4011367289803	R2	35
10 628 982		4011367289829	R2	35
10 628 983		4011367289836	R2	35
10 628 983		4011367289843	R2	35
10 628 990		4011367105464	R3	57
10 628 991		4011367105471	R3	57
10 628 993		4011367289935	R2	35
10 628 995		4011367107475	R3	66
10 628 996		4011367107482	R3	66
10 629 100		4011367291006	R2	28
10 629 102		4011367291020	R2	35
10 629 104		4011367291044	n.n.	0
10 629 109		4011367105358	R2	35
10 629 110		4011367083854	R2	8
10 629 112		4011367105365	R2	35
10 629 160		4011367112165	R1	12
10 629 161		4011367112196	R1	12
10 629 200		4011367106867	R9	25
10 629 201		4011367106874	R9	25
10 629 202		4011367106881	R9	25
10 644 122		4011367441227	T3	109
10 650 000	120	4011367500009	R2	46
10 650 030		4011367500306	R4	91
10 650 031		4011367500313	R4	91
10 650 032		4011367500320	R4	91
10 650 070		4011367005214	R2	48
10 650 071		4011367005221	R2	48
10 650 078		4011367098711	R2	48
10 650 130		4011367096410	R4	88
10 650 131		4011367096427	R4	88
10 650 132		4011367096434	R4	88
10 650 150	120	4011367105952	R2	46
10 650 200		4011367090944	R2	48
10 650 201		4011367090944	R2	48
10 650 202		4011367090968	R2	109
10 662 561		4011367625610	T3	108
10 662 642		4011367626426	T3	109
10 662 711		4011367627119	T3	108
		4011367627621	T3	109
10 662 762		1.4044007000007	R2	31
10 662 762	100	4011367093297		
	100	4011367093297	R2	31

Ref. No.	case lot	EAN-Code	ARC	Page
11 627 080	90	4011367093341	R2	35
11 627 081	90	4011367093358	R2	35
11 627 082	90	4011367093327	R2	35
11 627 083	100	4011367093334	R2	35
11 627 090	100	4011367093303	R2	32
11 627 091	90	4011367093310	R2	32
11 627 095	80	4011367093419	R4	89
11 627 160	120	4011367093396	R4	87
11 627 161	150	4011367093402	R4	87
11 627 162	80	4011367093365	R2	33
11 627 166	100	4011367093372	R2	8
11 627 410	120	4011367093389	R4	86
15 011 451	125	4011367089023	R5	83
15 011 452	125	4011367089030	R5	83
	125		R5	
15 011 453		4011367089047	_	83
15 011 456	125	4011367089078	R5	83
15 011 461	125	4011367095123	R5	82
15 011 463	125	4011367095253	R5	83
15 011 464	125	4011367095192	R5	82
15 011 465	125	4011367095161	R5	82
15 011 467	125	4011367095178	R5	82
15 011 468	125	4011367095369	R5	83
15 011 469	125	4011367095277	R5	83
15 011 470	125	4011367095376	R5	83
15 011 471	125	4011367095307	R5	83
15 011 472	125	4011367095154	R5	82
15 011 473	125	4011367095222	R5	83
15 011 479	125	4011367095284	R5	83
15 011 480	125	4011367095147	R5	82
15 011 481	125	4011367095185	R5	82
15 011 482	125	4011367095390	R5	83
15 011 483	125	4011367095321	R5	83
15 011 484	125	4011367095383	R5	83
15 011 485	125	4011367095345	R5	83
15 011 486	125	4011367095406	R5	83
		4011367095208		_
15 011 487	125		R5	82
15 011 489	125	4011367095215	R5	82
15 011 490	125	4011367095314	R5	83
15 011 491	125	4011367095338	R5	83
15 011 493	125	4011367095246	R5	83
15 011 495	125	4011367095239	R5	83
15 011 496	125	4011367095130	R5	82
15 011 497	125	4011367095260	R5	83
15 011 498	125	4011367095352	R5	83
15 011 561	50	4011367095420	R5	83
15 011 563	50	4011367095505	R5	83
15 011 564	50	4011367095468	R5	83
15 011 565	50	4011367095444	R5	83
15 011 569	50	4011367095512	R5	83
15 011 570	50	4011367095550	R5	83
15 011 572	50	4011367095437	R5	83
15 011 573	50	4011367095475	R5	83
15 011 579	50	4011367095529	R5	83
15 011 581	50	4011367095451	R5	83
15 011 582	50	4011367095567	R5	83
15 011 583	50	4011367095536	R5	83
15 011 591	50	4011367095543	R5	83
15 011 593	50	4011367095499	R5	83
15 011 595	50	4011367095482	R5	83
15 023 100		4011367094829	R5	82
15 023 121		4011367088941	R5	83

Ref. No.	case lot	EAN-Code	ARC	Page
		I		
15 023 122		4011367088958	R5	83
15 023 123		4011367088965	R5	83
15 023 126		4011367088996	R5	83
15 023 131		4011367094850	R5	82
15 023 132		4011367094966	R5	82
15 023 133		4011367094973	R5	82
15 023 134		4011367095048	R5	82
15 023 136		4011367094843	R5	82
15 023 137		4011367094836	R5	82
15 023 138		4011367095062	R5	83
15 023 139		4011367094904	R5	82
15 023 140		4011367095079	R5	83
15 023 141		4011367095086	R5	83
15 023 143		4011367094881	R5	82
15 023 144		4011367095109	R5	83
15 023 145		4011367095000	R5	83
15 023 146		4011367094867	R5	82
15 023 147		4011367095093	R5	83
15 023 148		4011367094898	R5	82
15 023 149		4011367094928	R5	83
15 023 150		4011367094935	R5	83
15 023 151		4011367094911	R5	82
15 023 152		4011367095017	R5	83
15 023 153		4011367095031	R5	83
15 023 154		4011367094980	R5	83
15 023 155		4011367095055	R5	83
15 023 156		4011367094942	R5	83
15 023 158		4011367094874	R5	82
15 023 159		4011367095024	R5	83
15 023 160		4011367094959	R5	83
18 309 920		4011367115685	-	133
52 522 710		4011367115791	-	133
52 522 711		4011367116521	-	133
55 645 030		4011367112622	-	133
60 120 268		4011367096151	R3	58
60 120 269		4011367096168	R3	58
60 120 278		4011367202781	R3	59
60 120 279		4011367202798	R3	59
60 120 280		4011367202804	R3	59
60 127 420		4011367096106	R3	58
60 127 422		4011367096113	R3	58
60 127 424		4011367096120	R3	58
60 127 428		4011367096137	R3	58
60 127 429		4011367096144	R3	58
60 127 430		4011367274306	R3	59
60 127 432		4011367274320	R3	59
60 127 434		4011367274344	R3	59
60 127 438		4011367274382	R3	59
60 127 439		4011367274399	R3	59
60 422 230		4016443090047	R7	99
60 422 280		4011367222802	R7	99
60 422 930		4016443090160	R7	99
60 422 980	1	4016443090474	R7	99